

SALES LIST

AGM Anwar Graphische Maschinen GmbH

Photo	Ref. No.	Brand	Typ	Age	Size cm	Impression	MachineNo.	Details	Price/€
		12-Colours Offset							
		10-Colours Offset							
		9-Colours Offset							
		8-Colours Offset							
		7-Colours Offset							
		6-Colours Offset							
Photos	off6-HD-SM-102-SP	Heidelberg	SM 102SP	1984	72x102			Perfecting 1/5, CPC 1.02, Alcolor Dampening with Baldwin, Grafix Exactomat Powder Spray	ASK
Photos	off6-Roland-R306-N-1998	MAN Roland	R306 N	1998	53x74	96 Mio.	27764B	Perfector 1/5 and 6/0, RCI CCI Comand Table, SAPC Semi Autoplate Change, Rolandmatic Dampening with Technotrans Refrigerator, Auto-Wash, Double Size Impression Cylinders, Roland Mabeg Jet Feeder, Steel Plate on Overlap, High Pile Delivery, Autosize, IR Dryer and UV Dryer	ASK
		5-Colours Offset							
Photos	off5-HD-CD-102-5-L-2001-24	Heidelberg	CD 102-5+LX	2002	72x102			CP 2000, Alcolor Dampening with Technotrans Refrigeration Circulation, Autoplate, Auto Wash for Inking Rollers, Blankets and Impression Cylinders, Preset Feeder and Delivery, Inking Unit Temperature Control, Dedicated Coating Unit With Anilox Roller, IR Dryer, Powder Sprayer	ASK
Photos	off5-HD-102-5-1999	Heidelberg	CD 102-5+L	1999	72x102			CP 2000, Alcolor Dampening with Technotrans Refrigeration Circulation, Autoplate, Auto Wash for Inking Rollers, Blankets and Impression Cylinders, Preset Feeder and Delivery, Inking Unit Temperature Control, Dedicated Coating Unit, Berthel ComCon 110 IR Dryer, Grafix Betatronic 100 Powder Sprayer	ASK
Photos	off5-HD-SM-52-5	Heidelberg	SM 52-5	1999	37x52	ca. 150 Mio.		Straight Machine, CPC 102, CP Tronic, Alcolor Dampening with Technotrans Refrigerator, Single Sheet Feeder, Autoplate, Cocking Register, Automatic Washer Devices, Double Sheet Control and Side Lay Detector, Sheet Decurler, Grafix Alphatronic 200 Powder Spray, Format: Max. 36x52cm, Min. 10,5x18cm Max. Speed: Upto 15000 S/H	ASK
		4-Colours Offset							
Photos	off4-HD-SM-52-4-P-3-1996	Heidelberg	SM 52-4-P3	1996	36x52			Perfection: 2/2, Alcolor Dampening with Refrigeration System, Autoplate, CP-Tronic, CPC 1.04, Automatic Washing Devices For Inking Rollers, Blankets And Impression Cylinders, Powder Spray	ASK

Photos	off4-HD-MOVP-S-1985	Heidelberg	MOVP-S	1985	48x65	58 Mio.	605000	Perfecting 2/2, 4/0, Alcolor Dampening with Baldwin, CPC 1-02, Low Pile, Quick Action Plate Clamps, Sheet-to-Sheet Feeder, Powder Spray, Min. Sheet Size: 140x210 mm, Max. Printing Area: 472x645 mm	ASK
Photos	off4-Komori-LA-437	Komori	LA-437	2014	64X94			PQC-U control console with touchscreen, KOMORI KHS-AI system for makeready optimization, automatic wash-up/ink preset, SmartFeedback for density adjustments (with PDC-Lite II), AMR (Automatic Make Ready) for preset job changes, Production quick-start function, Remote register and transfer cylinder adjustment, Automatic setting of sheet format, suction head, side lays, delivery, and stock thickness, S-APC: semi-automatic plate change (no plate bending required), Antistatic blower at feeder head, Side blowers (feeder), 2-zone suction tape feed table, Pneumatic stop fingers, Mechanical & ultrasonic double-sheet detection, Max. sheet size: 640 × 940 mm, Min. sheet size: 297 × 420 mm, Max. print size: 620 × 930 mm, Plate size: 700 × 945 mm (thickness: 0.30 mm), Blanket size: 800 × 955 mm (barred), Substrate thickness: 0.04 – 0.6 mm, Gripper margin: 10 mm, Plate clamp margin: 45 mm, Max. printing speed: 13,000 sheets/hour, Pile height feeder: 800 mm, Pile height delivery: 900 mm (*depending on paper, ink, and operating conditions), Length: approx. 8,169 mm, Width: approx. 3,320 mm (without peripherals), Power consumption: approx. 53 kW / 50 Hz (without peripherals)	ASK
Photos	off4-KBA-66-4	KBA Performa	66-4P	2006	48x66	140 Mio.		Max. Size: 485x660 mm (19.1 "x26.0"), Min. Size: 330x330 mm (13.0 "x13.0"), Perfector 2+2, Remote control: paint and register, Alcohol dampening, Technotrans cooling and circulation, IR drying system	ASK
Photos	off4-Roland-R304-HOB-1996	MAN Roland	R304 HOB	1996	53x74	168 Mio.	26381B	Perfector 2/2, RCI CCI Comand Table, SAPC Semi Autoplate Change, Rolandmatic Dampening with Technotrans Cooling Refrigerator, Auto-Wash, Roland Mabeg Jet Feeder, Steel Plate on Overlap, Steel Plate on the Lining, Non-Stop Device, Super Blue, Bacher Registry System Quick Bars, Powder Sprayer, High Pile Delivery, Capacity: 15000 Sheets/h, Paper Thickness: 0,04-0,6mm, Max Paper Size: 53x74cm, Min Paper Size: 26x40cm, Start of Print: 9.5-10.5mm, Plate Format: 605x745, Plate Thickness: Max 0,3mm	ASK
2-Colours Offset									
Photos	off2-HD-GTOZP-52-nag	Heidelberg	GTOZP 52	1992	36x52	22 Mio.	705473N	Plus Version, Alcolor Dampening with Baldwin Cooling Circulation	ASK
Photos	off2-HD-GTOZP-52/46-700081N	Heidelberg	GTOZP 52/46 + NP	1990	36x46	26 Mio.	700081N	Standard Dampening, Equipped with NP Unit	ASK
Photos	off2-HD-PM-74-2-2001	Heidelberg	PM 74-2	2001	52x74	52 Mio.	740115	Straight Machine, Stream Feeder, Double Sheet Detection, Electronic Side Lays Control, Alcolor Dampening With Baldwin Cooling Refrigeration, CP Tronic, Printmaster PM 74 Press Control, Easyplate, Weko Powder Sprayer, Speed: Up To 13.000 Sheets/Hour	ASK

Photos	off2-HD-SM-52-2-2006	Heidelberg	SM 52-2P	2006	36x52	ca. 48 Mio.		Perfecting 1/1, CP Tronic, Autoplate, Automatic Wash-Up Devices For Inking Rollers, Blankets And Impression Cylinders, Alcolor Vario Dampening, Technotrans Balcontrol BC 713 EFS Refrigeration System, Double Sheet and Side Lay Detector, Segmented Ink Knives, Graphix Alphatronic 200 Duster Powder Sprayer, Non-Stop Feeder & Delivery, Speed Up to 15000 Sheets/Hour, Standard Accessories	ASK
Photos	off2-HD-SM-52-2-tg52	Heidelberg	SM 52-2	2003	36x52			Straight Machine, Speed up to 15000 Sheets/hour, CP Tronic, Autoplate, Cocking Register, Automatic Washers Devices, Alcolor Dampening, Baldwin Refrigeration System, Double Sheet and Side lay Detector, Segmented Ink Knives, Powder Sprayer, Standard Accessories	ASK
Photos	off2-HD-SM-52-2-2002-EW	Heidelberg	SM 52-2	2002	36x52			Straight Machine, Speed up to 15000 Sheets/hour, CP Tronic, Autoplate, Cocking Register, Automatic Washers Devices, Alcolor Dampening, Baldwin Refrigeration System, Double Sheet and Side lay Detector, Segmented Ink Knives, Powder Sprayer, Standard Accessories	ASK
Photos	off2-Polly-725-PBVD	Polly	725 PBVD	1996	48x66		14439	Standard Dampening, V-Feeder, High Pile Delivery	ASK
Photos	off2-Polly-266-47	Polly	266 APH	2000	48x66			Perfection 1/1, Alcohol Dampening, Technotrans cooling and circulation, IR Drying System, High Pile Delivery	ASK
Photos	off2-Polly-266-63	Polly	266 APH	1998	48x66			Perfection 1/1, Alcohol Dampening, Technotrans cooling and circulation, IR Drying System, High Pile Delivery	ASK
Photos	off2-Ryobi-522-HXX	Ryobi	522 HXX	1999	36x52		1644	Suction Stream Feeder, Double Sheet Control, AAC (Aqua Automatic Control System) Ryobimatic Dampening with Refrigeratino & Re-Circulation Unit, Semi Auto Plate Change, Automatic Ink Roller and Blanket Washing Unit, Low Pile Delivery	ASK
1-Colours Offset									
Photos	off1-Adast-715	Adast Dominant	715	ca. 1995	48x65		12155	Standard Dampening	ASK
Photos	off1-Adast-715-2	Adast Dominant	715B	ca. 1998	48x65		12541	Standard Dampening	ASK
Photos	off1-Gestetner	Gestetner	211	ca. 1989	A3		268433	Standard Dampening	ASK
Photos	off1-HD-GTO-52-1-2003	Heidelberg	PM GTO 52-1 + NP	2003	36x52			Plus Version, Equipped with NP Unit, Standard Accessories	ASK
Photos	off1-HD-GTO-52-1995	Heidelberg	GTO 52	1995	36x52		711924	Kompakt Dampening	ASK
Photos	off1-HD-GTO-52-1993	Heidelberg	GTO 52+NP	1993	36x52			Aquaprint Dampening, Plus Version, Equipped with NP Unit, Standard Accessories	ASK
Photos	off1-HD-GTO-52-707499	Heidelberg	GTO 52+NP	1992	33x46	42 Mio.	707499	With NP Unit, Small GTO 46 Plate Cylinder, Standard Dampening	ASK
Photos	1-col-Hei-Kors-1985	Heidelberg	KORS	1985	52x72		361233	Standard Dampening	ASK
Photos	off1-HD-MO-E-601914	Heidelberg	MO-E	1981	48x65	42 Mio.	601914	Standard Dampening	ASK
Photos	off1-HD-Sorm-1994	Heidelberg	SORM	1994	52x72		537218	Standard Dampening	ASK
Photos	off1-Roland-Practica-PR00	MAN Roland Practica	PR00 + NP	1991	36x52		8835	Serie: 182, NP Unit, Standard Dampening	ASK
Photos	off1-Rota-R36K-2004	Rotaprint	R36 K	ca. 2004	36x50			Standard Dampening	ASK
Accessories Printing Machines									
Photos	Acc-Off-Citot-Printline-2008	Citot	Printline	2008		Inline Finisher		RSP System for Inline Finishing	ASK
Photos	Acc-Off-Autowash-Cloth-Cutter	Cloth Unwinder				Cloth Unwinder		Autowash Cloth Unwinding Unit	ASK
Photos	Acc-HD-GTO-Counterpressureplate	Heidelberg				Plate For Impression Cylinder		GTO Gegendruckblech / Counterpressure plate	ASK
Photos	Acc-printing-FWR-100-DE	FWR	100			Rollerwasher		Rollerwasher	ASK

Photos	Acc-NP for-GTO-52786633	Heidelberg	NP for GTO 52		52	N&P Unit	786633	NP for GTO 52	ASK
Photos	ctp-HD-CP31-1997	Heidelberg	CPC31	1997	max. 102	Plate Scanner	34373	Plate Scanner/Plate Reader for Heidelberg Speedmaster SM 102/SM 74, SM 52, Plate Image reader, for measuring the printing part of the surface of offset plates and stores the measured values on the job Memory card or in the CPC data Memory, for on-line transfer of the values to the press's control unit (for calculation of ink fountain zone openings and ink stripe widths in CPC 1 control unit, for all types of printing plates up to SM 102 plates format	ASK
Photos	Acc-Off-NP-Unit-SM-52	NP	Unit for SM 52		SM 52	N&P Unit			ASK
Photos	Acc-Off-Numbering-Unit-for-GTO-52	Numbering and Perforation Unit for GTO 52	N+P Unit		52	N&P Unit		Numbering Unit for GTO 52 machine	ASK
Photos	Acc-Off-NP-Unit-for-GTO46	Numbering and Perforation Unit for GTO 46	N+P Unit		46	N&P Unit		Complete with all standard Parts	ASK
Photos	Acc-Off-Numbering-Unit-for-MOE-MOS	Numbering and Perforation Unit for MOE/MOS	N+P Unit		65	N&P Unit		Numbering Unit for MO machines	ASK
Photos	Acc-Off-Numbering-Unit-for-MOE-MOS-2	Number and Perforation N&P unit for MO-E or MO-S	N+P Unit		65	N&P Unit		Number and Perforation N&P unit for MO-E or MO-S	ASK
Photos	Acc-Off-Numbering-Unit-for-MOE-MOS-3	N&P for MO-E oder MO-S	N+P Unit		65	N&P Unit		Number and Perforation N&P unit for MO-E or MO-S	ASK
Photos	Acc-Off-Perforating-shaft	Perforating Shaft				Perforation Shaft		Perforating Shaft	ASK
Photos	Acc-Off-Schneider-F60-796	Schneider	F60		360x360	Envelope Feeder	796	Artikel No. 184.102, Format: Max. 360x360mm, Min. 100x100mm, Speed: Max. 15000/Hours, Adjustable Height	ASK
Photos	Acc-Off-Schneider-648	Schneider	190-101		360x360	Envelope Feeder	648	Artikel No. 190-101, Format: Max. 360x360mm, Min. 100x100mm, Speed: Max. 15000/Hours, Adjustable Height	ASK
Photos	Acc-Off-Stenz-Delivery	Stenz	Feeder & Delivery						ASK
Photos	Acc-Off-Stenz-Feeder	Stenz	Feeder				40307983		ASK
Photos	acc-printing-Technotrans	Technotrans				Technotrans			ASK
Photos	Acc-Off-Vacuomatic-MK4	Vacuomatic	MK4			Paper Counter	358480	Paper Counting Machine, Counting Head With Blower And Counter, Strip Insertion, Strip Shot (approx. 5mm), Min. of Shot 5 Sheets, Max. Stacking Height: 230mm, Counting Speed Upto 2000 Sheets/Minutes, Counter Max. 999.999, Material 25-240g/m2	ASK
Photos	Acc-Off-Vacuomatic-CUTI-19673	Vacuomatic	C.U.T.I			Tab Inserter	19673	Tab/Strip Inserting Device With Laser Sensor, No Need Of Mechanical Or Electrical Connection To The Printing Machine, Inserting Height Adjustable Upto 100cm, Strip Length Adjustable From Approx. 10 To 20cm, Count From 6 To 9999 Sheets, Counting Speed Upto Approx. 15.000 Sheets/Hour	ASK
Photos	Acc-Off-Vacuomatic-CUT12	Vacuomatic	CUT12			Tab Inserter		Tab/Strip Inserting Device With Laser Sensor, No Need Of Mechanical Or Electrical Connection To The Printing Machine, Inserting Height Adjustable Upto 100cm, Strip Length Adjustable From Approx. 10 To 20cm, Count From 6 To 9999 Sheets, Counting Speed Upto Approx. 15.000 Sheets/Hour	ASK
Photos	Acc-Off-Vipdens-900P	Vipdens	900P			Densitometer		Densitometer	ASK
Envelope Printing Machines									
Offset Rotations Printingmachine									
Reel to Sheet Cutter									

<u>Cutting Machines</u>									
Photos	cut-Adast-Maxima-MS80-2-s	Adast Maxima	MS 80-2		80			Air Table, Side Tables, Standard Accessories	ASK
Photos	cut-Adast-Maxima-MS-80-B	Adast Maxima	MS 80-B		80			Air Table, Side Tables, Standard Accessories	ASK
Photos	cut-ceelen-standard	Ceelen	Standard Cutter-S920		92			Side Tables, Air Table, Programmable, Standard Accessories	ASK
Photos	cut-Dahle-Manual-Cutter	Dahle	Manual Cutter	ca. 1995				Manual Cutter	ASK
Photos	cut-manual-cutter-wod	Manual Cutter		ca. 1991				Manual Cutter	ASK
Photos	cut-polarN115ProHD-2016	Polar	N 115 PRO HD	2016	115			Stack Height: 165mm, 21,5" HD Colour Touch Screen Display, Chrome Air Table, Enlarged Side Tables, Knife Replacement From the Desktop Visualization of the Cut on the Monitor, 45 Cycles/Min. Light Barriers, Books and Tools	ASK
Photos	cut-Polar-N-115-Plus	Polar	N 115 Plus	2013	115			Colour Monitor, Touch Screen, Programs, Chromed Air Table, Light Barriers, Resopal Side Tables With Air, Spare Knife, Books & Manuals	ASK
Photos	cut-Polar-176-ED-2001	Polar	176 ED	2001	176			Complete Cutting Line Equipped With: Colour Display TFT 10,4" Monitor, Programmable, 198 Programs Memory, Chrome Air Table, Side Air Tables, Light Barriers, Polar Lift, Polar Jogger, Polar Transomat, Polar Unloader, Books And Tools	ASK
Photos	cut-Polar-137- ED-AT-1999	Polar	137 ED-AT	1999	137		6941229	Cutting Line Equipped With: Colour Display TFT 10,4" Monitor, Programmable, 198 Programs Memory, Chrome Air Table, Side Air Tables, Light Barriers, Polar Transomat Unloader, Books And Tools	ASK
Photos	cut-Polar-115-E-1997	Polar	115 E	1997	115		6731919	Chromed Air Bed, Light Barriers, Programmable, Colour Display, Side Air Tables, Complete with Standard Accessories	ASK
Photos	cut-Polar-115-ED-1996	Polar	115 ED	1996	115		6731018	Chromed Air Bed, Light Barriers, Programmable, Colour Display, Side Air Tables, Complete with Standard Accessories	ASK
Photos	cut-Polar-115-CE-1974	Polar	115 CE	1974	115		4461450	Air-Table, Side Tables, Light Barriers, Programmable, Standard Accessories	ASK
Photos	cut-Polar-92-ED	Polar	92 ED	1999	92			Programs, Light Barriers, Air Table, Standard Accessories	ASK
Photos	cut-Polar-90-CE-4412329	Polar	90 CE	1974	90		4412329	Side Air Tables, Light Barriers, Air Table, Standard Accessories	ASK
Photos	cut-Polar-90-EL-71-0523	Polar	90 EL	1971	90		71/0523	Side Tables, Light Barriers, Programmable, Standard Accessories	ASK
Photos	cut-Polar-78-XT	Polar	78 XT	2004	78			Programs with touch screen color display, Side Air-Tables, Light Barriers, Air Table, Standard Accessories	ASK
Photos	cut-Schneider-Senator-115H-S-Line-200	Schneider	Senator 115H S-Line	2000	115		M-115H-010-09/20-00	Digital Programs TSC, Colour Display, Chromed Air Table, Chromed Side Air Tables, Light Barriers, Standard Accessories	ASK
Photos	cut-Schneider-Senator-78-24	Schneider	Senator 78 E-Line	2002	78			Side Tables, Light Barriers, Chromed Air Table, Program, Standard Accessories	ASK
Photos	cut-Schneider-PS-650-1965	Schneider	PS 650	1965	65		2074	Plate Bending Machine Schneider PS 650, Heavy Standing Model, Working Width 650 mm, Attached Hand Lever Shears, Cutting Width Approx. 150 mm	ASK
Photos	cut-Wohlenberg-92	Wohlenberg	92	2003	92		3857-006	Chromed Air Table, Programs, Side Tables, Light Barriers, Colour Display, Standard Accessories	ASK
Photos	cut-Wohlenberg-92-2000	Wohlenberg	92	2000	92		3756-002	Chromed Air Table, Programs, Side Tables, Light Barriers, Colour Display, Standard Accessories	ASK

Photos	cut-wohlenberg-76-2000	Wohlenberg	76	2000	76		3776-005	Chromed Air Table, Programs, Air Side Tables, Light Barriers, Standard Accessories	ASK
Accessories Cutting Machines									
Jogger									
Photos	cut-Baumann-BSB3-L-211163	Baumann	BSB 3 L	ca. 2001		Jogger	211163	Jogger With Air Removal Pressing Roll	ASK
Photos	cut-Heinz-Steffens	Heinz Steffens				Jogger		Jogger	ASK
Photos	cut-Polar-RAM-7S	Polar	RAM-7S	2001		Jogger	7185101	Jogger	ASK
Photos	cut-polar-rb2-1991	Polar	RB2	1991		Jogger	6181525	Paper Jogger	ASK
Photos	cut-Jogger-OLA	OLA				Jogger		Jogger	ASK
Photos	cut-Schneider-Senator-Profi-Line	Schneider	Senator Profi-Line	2002		Jogger	P-7258015	Jogger	ASK
Lift									
Photos	cut-Baumann-NUP-Lift	Baumann	NUP			Lift	52.02	Lift	ASK
Photos	pile-Lift-Ewert-Butler-1200-1994	Ewert Butler	1200	1994		Lift	2906 910	Capacity: 1200 KG, Fork Length 1100mm, Suitable for Standard Euro Pallets, Own Weight: 390 KG, Lifting Height: 1000mm, Operating Pressur: 850 N/cm2	ASK
Photos	pile-Lift-Ewert-Butler-1200-2906821	Ewert Butler	1200	1992		Lift	2906821	Capacity: 1200 KG, 1,1 KW, Fork Length 1100mm, Suitable for Standard Euro Pallets, Own Weight: 330 KG, Lifting Height: 1000mm, Power Supply: 380V	ASK
Photos	pile-Lift-Ewert-Butler-1200-4	Ewert Butler	1200			Lift		Capacity: 1200 KG, 1,1 KW, Fork Length 1100mm, Suitable for Standard Euro Pallets, Own Weight: 330 KG, Lifting Height: 1000mm, Power Supply: 380V	ASK
Photos	pile-Lift-Ewert-Butler-1200-3	Ewert Butler	1200			Lift		Capacity: 1200 KG, 1,1 KW, Fork Length 1100mm, Suitable for Standard Euro Pallets, Own Weight: 330 KG, Lifting Height: 1000mm, Power Supply: 380V	ASK
Photos	cut-Hunkeler-PF	Hunkeler				Lift		Palletlift	ASK
Photos	cut-Hunkeler-PF-2	Hunkeler				Lift		Palletlift	ASK
Photos	cut-Lechner-G900K-1336	Lechner	G900K	1978		Lift	1336	Palletlift	ASK
Photos	cut-Knorr-92	Knorr	SL-2	2000		Lift	7052073	Paperlift	ASK
Photos	cut-Polar-L-2000-2001	Polar	L2000-W-7S	2001		Lift	7172985	Paperlift	ASK
Photos	lift-Polar-L1000-G-6-93	Polar	L-1000-G-6	1993		Lift	6372213	Paperlift	ASK
Photos	lift-Polar-L600-G3-1996	Polar	L600-G-3	1996		Lift	6672506	Paperlift	ASK
Photos	acc-cut-Polar-LL600/3-1987	Polar	LL 600/3	1987		Lift	5772023	Paper Pile Lift	ASK
Pile Turner									
Photos	pile-turn-Baumann-BSW3-900-1989	Baumann	BSW3-900	1989	800x1200	Pile Turner	800024	Opening Width Max. 1400mm, Opening Width Min. 630mm	ASK
Photos	pile-turn-Busch-SE-125	Busch	SE 125	2008	800x1200	Pile Turner	110/1629	Sheet Max. Format: 800x1200mm, Stack Heights Max: 1350mm, Min: 380mm, Platform: 1250x900mm, Capacity: 1000 KG	ASK
Photos	pile-turn-Busch-SWH-125	Busch	SWH 125	1999	800x1200	Pile Turner	407/846	Sheet Max. Format: 800x1200mm, Stack Height Max: 1350mm, Min: 380mm, Platform: 1250x900mm, Capacity: 1000 KG	ASK
Photos	pile-turn-Meyer-1000-1992	Meyer	1000	1992		Pile Turner	007	Stack Height Max: 1300mm, Capacity: 1000 KG, Weight: 510 KG, 220V/50Hz/3Ph/1,5kW	ASK
Photos	pile-turn-Thando-101-1993	Thando	101 (Riensch & Held 1000)	1993		Pile Turner	1459	Serial: 14, Stack Height Max: 1300mm, Capacity: 1000 KG, Weight: 510 KG, 220V/50Hz/3Ph/1,5kW	ASK
Transomat									
Photos	cut-Polar-T160-ER-7S	Polar	T160ER-7S	2001		Transomat	7195102	Transomat	ASK
Side Tables									
Photos	cut-Perfecta-Seitentische	Perfecta Side Tables			3 Pieces available	Side Tables for Cutting		Side Tables	ASK
Cylinders/Platens (letter Press)									

Photos	cyl-HD-SGS-1976	Heidelberg	SGS	1976	72x104	Cylinder	38829	Power: 14kW, Speed: max 3600 c/h, Sheet Counter, 2 Chases, Cylinder Jacket, Standard Accessories	ASK
Photos	cyl-HD-SBB-28607	Heidelberg	SBB	1966	56x82	Cylinder	28607	Standard Accessories	ASK
Photos	cyl-HD-S-Cyl-1959	Heidelberg	S Cylinder	1959	54x72	Cylinder	14535S	Standard Accessories	ASK
Photos	cyl-HD-S-Cyl-1956	Heidelberg	S Cylinder	1956	54x72	Cylinder		Standard Accessories	ASK
Photos	cyl-Adast-Gr-GPE-1984-38	Adast	Grafopress GPE	1985	26x38	Platen		Standard Accessories	ASK
Photos	plat-Adast-Grafopress-ca-1984	Adast Grafopress	GPE	ca. 1984	26x38	Platen	65807	Standard Accessories	ASK
Photos	cyl-Adast-Grafopress-GPE-60469	Adast Grafopress	GPE	1982	26x38	Platen	60469	Standard Accessories	ASK
Photos	plat-HD-GT-Tiegel-DE-18	Heidelberg	GT Tiegel A3		34x46	Platen		Standard Accessories	ASK
Photos	plat-HD-GT-Platen-1969	Heidelberg	GT Tiegel A3	1969	34x46	Platen	GT65177N	Standard Accessories	ASK
Photos	plat-HD-GT-Tiegel-A3-63660N	Heidelberg	GT Tiegel A3	1966	34x46	Platen	63660N	Standard Accessories	ASK
Photos	plat-HD-GT-Tiegel-1962-61120N	Heidelberg	GT Tiegel A3	1962	34x46	Platen	61120N	Standard Accessories	ASK
Photos	plat-HD-Platen-1954	Heidelberg	Tiegel A3	1954	34x46	Platen	54587N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-T1969	Heidelberg	T Tiegel A4	1969	26x38	Platen		Standard Accessories	ASK
Photos	plat-HD-TiegelA4-T193126N	Heidelberg	TP Tiegel A4	1980	26x38	Platen	T193126N	Standard Accessories	ASK
Photos	plat-HD-Platen-1980	Heidelberg	Tiegel A4	1980	26x38	Platen	T192818N	Standard Accessories	ASK
Photos	plat-HD-Platen-1975	Heidelberg	Tiegel A4	1975	26x38	Platen	T188401E	Standard Accessories	ASK
Photos	plat-HD-Platen-1974	Heidelberg	Tiegel A4	1974	26x38	Platen	T185819E	Standard Accessories	ASK
Photos	plat-HD-Platen-1971	Heidelberg	Tiegel A4	1971	26x38	Platen	179442N	Standard Accessories	ASK
Photos	plat-HD-Platen-1967	Heidelberg	Tiegel A4	1967	26x38	Platen	T160654N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-123054N	Heidelberg	Tiegel A4	1959	26x38	Platen	123054N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-sp1c	Heidelberg	Tiegel A4	1958	26x38	Platen	121361N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-120548N	Heidelberg	Tiegel A4	1958	26x38	Platen	120548N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-116513N	Heidelberg	Tiegel A4	1957	26x38	Platen	116513N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-116130N	Heidelberg	Tiegel A4	1957	26x38	Platen	116130N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-111549N	Heidelberg	Tiegel A4	1956	26x38	Platen	111549N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-111006N	Heidelberg	Tiegel A4	1956	26x38	Platen	111006N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-46148N	Heidelberg	Tiegel A4	1953	26x38	Platen	46148N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-42286N	Heidelberg	Tiegel A4	1952	26x38	Platen	42286N	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-30837	Heidelberg	Tiegel A4	1950	26x38	Platen	30837	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-föhl1	Heidelberg	Tiegel A4		26x38	Platen		Standard Accessories	ASK
Photos	plat-HD-TiegelA4-föhl2	Heidelberg	Tiegel A4		26x38	Platen		Standard Accessories	ASK
Photos	plat-HD-TiegelA4-DE-24	Heidelberg	Tiegel A4		26x38	Platen		Standard Accessories	ASK
Photos	plat-HD-TiegelA4-NN	Heidelberg	Tiegel A4	1956	26x38	Platen	110735	Standard Accessories	ASK
Photos	plat-HD-TiegelA4-PT	Heidelberg	Tiegel A4		26x38	Platen		Standard Accessories	ASK
Hot Stamping / Embossing									

Photos	hot-stamp-Baier-Geba-9-A	Baier	Geba 9/A		15x23	Hot Stamping	80415	Semi-Auto Baier Geba 9/A Hot Stamping Machine, 220/380 Volts, 10 Ampere, Embossing Pressure: 4 Tons, Stamping Surface 150x230mm, With Motor Driven Foil Feeding Device	ASK
Photos	hot-stamp-Baier-s	Baier	6/B			Hot Stamping	91442	Hot Stamping Machine	ASK
Photos	cyl-HD-SBD-1970-35806	Heidelberg	SBD Cylinder with Steuer Hotstamping	1970	64x90	Hot Stamping	35806	Cylinder with Steuer Hot Foil Stamping System, Fully Automatic, Speed Control, Central Lubrication	ASK
Photos	cyl-HD-s-cylinder-10692	Heidelberg	S Cylinder	1957	54x72	Hot Stamping	10692	Cylinder with Hot Foil Stamping System, Fully Automatic, Speed Control, Central Lubrication	ASK
Photos	hot-stamp-HD-Platen-1965	Heidelberg	A3 GTP Platen with Hotstamping	1965	34x46	Hot Stamping	63175	A3 Platen with Hot Stamping	ASK
Photos	hot-stamp-HD-Platen-1970-175805N	Heidelberg	A4 Platen with Hotstamping	1970	26x38	Hot Stamping	175805N	A4 Platen with Hot Foil Stamping System	ASK
Photos	hot-stamp-HD-Platen-1969-T170370N	Heidelberg	A4 Platen with Hotstamping	1969	26x38	Hot Stamping	T170370N	A4 Platen with Hot Foil Stamping System	ASK
Photos	hot-stamp-HD-Platen-1968-T167848N	Heidelberg	A4 Platen with Hotstamping	1968	26x38	Hot Stamping	T167848N	A4 Platen with Hot Foil Stamping System	ASK
Photos	hot-stamp-HD-Platen-1961-T134532N	Heidelberg	A4 Platen with Hotstamping	1961	26x38	Hot Stamping	T134532N	A4 Platen with Hot Foil Stamping System	ASK
Photos	hot-stamp-PE-goldsmith	PB+E goldsmith				Hot Stamping		ELECTRONIC, Incl. S/3080	ASK
Photos	hot-stamp-RBZ-P350x240	RBZ Ratio-Betrieb der Zentrag	POMA P350x240	ca. 1984	35x24	Hot Stamping	30895	Semi-Automatic Embossing Press, Two Columns, Embossing Area 350x240mm, Max. Mechanical Speed: 30 Cycles/Min., Pressure: 40 Tons, Vertical Stroke 30mm, Solid Basic Machine, Infeed Table, 2x Foil Unwinder, Heatable Embossing Table, Operating And Supply Unit	ASK
Photos	hot-stamp-Krause-Yi	Karl Krause				Hot Stamping	114779	Hand Driven Embossing Hot Stamping Machine With Heading Sliding Table	ASK
Photos	hot-stamp-Schmedt-DE-2424	Schmedt	Prägnant	1989		Hot Stamping	1666	Hot Stamping, Titling Press	ASK
<u>Accessories for Goldpunch</u>									
<u>Carton & Packaging</u>									
<u>Window Patcher</u>									
<u>Folder Gluer</u>									
Photos	folglu-Jagenberg-Diana-125-3-2002	Jagenberg	Diana 125-3	2002	110x125	Folder Gluer	1010031127	With Jagfeed and Backpack 40-2 Delivery	ASK
Photos	folglu-Jagenberg-Diana-90-1-1989	Jagenberg	Diana 90-1	1989	75x91,5	Folder Gluer	1.044.816	Production Capacity Max : 450 M/Min, Max Blank Length : 750 mm, Max Blank Width : 915 mm, Min Blank Width : 45 mm, Max Belt Speed : 200-800 g/m2, Material: Corrugated Cardboard with Waves E and B, Cardboard, Standard Accessories, With JackPack Delivery Unit	ASK
Photos	folglu-Jagenberg-Diana-90-1-1984	Jagenberg	Diana 90-1	1984	75x91,5	Folder Gluer	1.044.262	Production Capacity Max : 450 M/Min, Max Blank Length : 750 mm, Max Blank Width : 915 mm, Min Blank Width : 45 mm, Max Belt Speed : 200-800 g/m2, Material: Corrugated Cardboard with Waves E and B, Cardboard, Standard Accessories	ASK
<u>Kartonage</u>									
<u>Diff. Book Production Machines</u>									
Photos	diff-Bobst-ER-1650	Bobst	ER 1650	1960		Rotary Board Cutter	13492	Serie No. 66605/60, Format: Max 1650x1200cm, Min: 200mm, Capacity: 3600 Sheets/Hour, Rotary Board Cutter	ASK

Photos	diff-Barmenia-16521-1	Barmenia				Cutting, Punching and Notching	16521/1	For Cardboard, Paperboard and Leather, Large flywheel for smooth and powerful operation, Heavy cast-iron machine frame, Large working table with adjustable side guides, Two adjustable knife / tool holders, precisely aligned, Foot pedal operation for controlled working strokes, Precisely guided ram for even pressure distribution	ASK
Photos	diff-Barmenia-13388	Barmenia				Cutting, Punching and Notching	13388	For Cardboard, Paperboard and Leather, Large flywheel for smooth and powerful operation, Heavy cast-iron machine frame, Large working table with adjustable side guides, Two adjustable knife / tool holders, precisely aligned, Foot pedal operation for controlled working strokes, Precisely guided ram for even pressure distribution	ASK
Photos	bo-cut-Kolbus-PK-398	Kolbus	PK 398	1977	165x50	Rotary Board Cutter		Max. Board Width: 1300 mm, Max. Cut Width: 1250 mm, Max. Thickness: 4 mm, Min. Cut Width: 50 mm, Min. Size of Cut Boards: 165x50 mm	ASK
Photos	diff-CCCP-Slitter/Rewinder-2836	CCCP	Slitter	1975		Slitter / Rewinder Reel To Reel	2836	Slitter/Rewinder Reel To Reel	ASK
Photos	diff-Graphic-Wizard	Graphic Wizard				Numbering machine		Numbering machine	ASK
Photos	diff-Book-Block-Rounder-Fomm-FBR-67	Fomm	FAR 67			Case Straightening Machine	40477	Book Cover Straightening Machine / Buchdeckenausbiegemaschine	ASK
Photos	diff-Knut-1030-56-1	Knut	1030/56/1	2001		Case Straightening Machine	2293	380 Volts, 50Hz, 3 Phase, Book Cover Straightening Machine / Buchdeckenausbiegemaschine	ASK
Photos	diff-bpm-Prakma-GI-162021	Prakma	GI	ca. 1973		Case Straightening Machine	162021	Book Cover Straightening Machine / Buchdeckenausbiegemaschine	ASK
Photos	diff-Tiflex-S.A.-T240GM-1989	Tiflex S.A.	T240GM	1989		Case Straightening Machine	789	Book Cover Straightening Machine / Buchdeckenausbiegemaschine	ASK
Photos	diff-bpm-K-Tränklein-1413-66-4	Karl Tränklein		ca. 1971		Case Straightening Machine	1413/66/4	Book Cover Straightening Machine / Buchdeckenausbiegemaschine	ASK
Photos	diff-Karl-Tränklein-Yi	Karl Tränklein				Diff. Book Production Machines		Universal Cutter, Index Cutter	ASK
Photos	diff-KECK-SK-11-Yi	KECK	SK 11	1990	700x800	Diff. Book Production Machines	839	Box Gluing Machine, Format: Max. 700x800mm, Min. 80x100mm, Counter, Equipped With Bühnen 6040 Gluing	ASK
Photos	diff-bpm-Finger-Hole	Finger Hole	Machine			Diff. Book Production Machines	31650		ASK
Photos	diff-Reece-BKR-Repress-1965	Reece	Folding Machine, Model BKR Repres	1965		Straightening-Pressing Machine under Steam		Straightening-Pressing Machine under Steam Pressure, Heater Watts: 4800, Volts 220, Phase 1	ASK
Photos	diff-bpm-Karl-Krause-207369	Karl Krause Leipzig				Rise and Fall Die cutting machine	207369	Rise and Fall Die cutting machine	ASK
Photos	diff-bpm-Krause-Biagosch-Y50-12EM58	Krause Biagosch	Y50-12EM58	1958		Rise and Fall Die cutting machine	308701	Rise and Fall Die cutting machine	ASK
Photos	diff-bpm-Krause-Biagosch-YFM120-20Z-58	Krause Biagosch	YFM120-20Z-58	1958		Rise and Fall Die cutting machine	308522	Rise and Fall Die cutting machine	ASK
Photos	diff-Krause-1-Yi	Krause Biagosch	J108Cn/61	1961		Diff. Book Production	311777		ASK
Photos	diff-Krause-2-Yi	Krause Biagosch	J108 HN/63	1963		Diff. Book Production	313520		ASK
Photos	diff-Krause-Biagosch-J130R-60-Yi	Krause-Biagosch	J130R/60			Diff. Book Production	310862		ASK
Photos	diff-Krause-Biagosch-Y-50-12-EM-2	Krause-Biagosch	Y 50-12-EM/2			Diff. Book Production	311138	Universal Cutter, Index Cutter	ASK
Photos	diff-Krause-J108Cn-61-Yi	Krause				Diff. Book Production		Universal Cutter, Index Cutter	ASK
Photos	diff-Krause-YEM120-Yi	Krause	YFM120			Diff. Book Production		Universal Cutter	ASK

Photos	diff-Sächsische-Cartonnagen	Sächsische Cartonnagen-Maschinen A.-G				Cutting of Paper and Cardboard	34155	Cutting mechanism for clean, straight cuts on paper and carton, featuring a heavy cast-iron frame, a straight steel cutting blade, and an adjustable back gauge for accurate, repeatable cuts.	ASK
Photos	lam-Sirozo	Sirozo				Diff. Book Production		Diff. Book Production	ASK
Photos	diff-bpm-Krause	Krause	Creasing Machine			Creasing Machine		Creasing Machine	ASK
Photos	diff-mubea-kl30-44810	Mubea	KL30	1977			44810	(Stanze / Punch)	ASK
Photos	diff-bpm-Preusse-&-Co-38603	Preusse & Co.				Corner Cutter For Corrugated Boxes	38603	Corner Cutter For Corrugated Boxes	ASK
Photos	diff-Pressing-Unit-NN	Pressing Unit				Pressing Unit		Pressing Unit	ASK
Photos	diff-Punching-Numbering-machine	Punching & Numbering machine		ca. 1970		Punching & Numbering machine		Punching & Numbering machine	ASK
Photos	diff-Schmedt-PräKant-0603	Schmedt	PräKant 0603	2002		Turning In Machine/Cover Edge Wrapping Machine	887	Hard Cover Edge Wrapping Machine, Format: Min: 150x150 mm, Max: 600x600 mm, Max. Board Thickness: 6 mm, Min.: 1,5 mm	ASK
Photos	diff-schmedt-PräRund	Schmedt	PräRund 1700	2002		Book Case Rounder	559	Typ: 17, AGE: 2002, Case-Rounding Machine, (Buchdecken-Rückenrundergerät, Hardcover-Bücher, Fotoalben, Terminkalender, Notizbücher mit elektrisch beheiztem und über Thermostat regeltem Rundestab, Arbeitsbreite bis 600mm Rückelänge, Rückenbreite: 10-120mm, Elektr. Anschluss: 230V - Wechselstrom)	ASK
Photos	diff-Schmedt-Bock-Back-Rounder	Schmedt	PräRund1700	2001		Book Case Rounder	520	Typ: 17, AGE: 2002, Case-Rounding Machine, (Buchdecken-Rückenrundergerät, Hardcover-Bücher, Fotoalben, Terminkalender, Notizbücher mit elektrisch beheiztem und über Thermostat regeltem Rundestab, Arbeitsbreite bis 600mm Rückelänge, Rückenbreite: 10-120mm, Elektr. Anschluss: 230V - Wechselstrom)	ASK
Photos	diff-Schmedt-PräDeck-2310-2002	Schmedt	PräDeck 2310	2002		Hard Cover Mounting Table	95	Hard Cover Mounting Table	ASK
Photos	diff-Schmedt-PräDeck-2300-2001	Schmedt	PräDeck 2300	2001		Hard Cover Mounting Table	75	Hard Cover Mounting Table	ASK
Photos	diff-Jagenberg-Cornet	Jagenberg	Cornet			Diff. Book Production		Hot Sealing Tape For Cardboard Corner Gluing	ASK
Photos	diff-Jagenberg-Cornet-2	Jagenberg	Cornet			Diff. Book Production		Hot Sealing Tape For Cardboard Corner Gluing	ASK
Die-Cutter									
Photos	die-cut-BobstSPO-1575EEG-574004	Bobst	SPO 1575 EEG	ca. 1971	105x157	Die Cutting	574004	Fully Automatic Flatbed Die-Cutter, Non-Stop Feeder, Automatic Introduction With Large Vacuum Plate, Double Sheet Cleaning Station, Platin Unit, Turn Die Cutting Frame, (Batch Delivery) Non-Stop Delivery With Belt, Cutting Force 300 TON, 4.500 Speed/H, Working With Corrugated Cardboard Of Thickness Max. 9,5 mm, Min. 0,8mm, The Machine Can Cut On Micro-Corrugated Cardboard, Jobs Quick Change Device, Working With Compact Stock Of Thickness 1 mm And Beyond, Cutting Force 350 TON, Format: Max. 1055x1575mm, Min. 400x600mm, Standard Accessories	ASK
Photos	die-cut-Busch-B-EST-1970	Busch	B EST	1970	18x18	Die Cutting	4310	Automatic Die-Cutting/Lable Punching Machine, Max. Punching Size: 180x180mm, Min. Punching Size: 20x20mm, Max. Feeding Height: 150mm, (Height of Punching Die 60/70mm), Punching Strokes 12 p/min., Machine Output 720.000 Sheets/Hour, (Insertion 1000 Sheets/80gsm), Punching Pressure 2.500 Kg	ASK

Photos	die-cut-Iberica-Varioplan-JR-105	Iberica	Varioplan JR-105	1997	75x105	Die-Cutting	97118	Stripping Device, Varioplan System, Mabeg Non-Stop Feeder with Pre-Loader, Non-Stop Delivery, Centerline, Elevated, Sidelays On Operator And Off-Side, Formats: Max. 750x1050mm, Min. 350x400mm, Max. Cardboard Thickness: 1,8mm, Max. Corrugated Cardboard Thickness: 3mm, Speed: 9000 Sheets/Hour	ASK
Photos	die-cut-Kerma-24	Kerma		1971	70x100	Die-Cutting	4784/71	Die-Cutter	ASK
Photos	cyl-lemm-gaby-1991	Lemm	Gaby	1991		Die-Cutting		Capacity: 60t, Bar: 150	ASK
Photos	die-cut-Victoria-A3	Victoria			A3	Die-Cutting		Brand New / Unused, With Auto Feeder	ASK
Perfect Binders									
Photos	p-bin-Bourg-BBF-2005-2	Bourg (CP Bourg)	BBF 2005	ca. 1996		1 Clamp	11949039	1 Clamp Perfect Binder, Delivery Belt	ASK
Photos	p-bin-Bourg-BBF-2005	Bourg (CP Bourg)	BBF 2005	ca. 1993		1 Clamp		1 Clamp Perfect Binder, Delivery Belt	ASK
Photos	p-bin-HD-Eurobind-EB-600	Heidelberg	Eurobind EB-600	2008	440x320x50	1 Clamp	FM DDA0000062	1 Clamp Perfect Binder For Hotmelt Adhesive, Glue Vapor Extraction, Flaps And Creasing Tools, Envelope Double Sheet Control, Touch Screen With Simple Setting Via Icons, Preheating Timer, For Spine And Side Gluing, Copy Counter, Error Analysis, Etc., Pneumatic Opening And Closing Pliers, Automatic Adjustment Of Nipper Opening According To Block Thickness, Side Gluing Disc According To Block Thickness, Back Creasing According To Block Thickness, Creasing Depth, Positioning Of The Rear Envelope Guide Rail According To The Envelope Width, Adjustable Milling Depth 0-3mm, Backworking Station With A Combination Tool With Dust Cutters, Height Adjustable Notching Knife And Ring Brush, Hotmelt Adhesive Basin With Two Application Rollers And Glue Squeegee And Integrated Side Gluing Unit With Slanted Discs (Production Possible Without Side Glue), Cover feeder With Integrated Double Creasing Unit (Decorative Creasing Possible), Automatic Envelope Pressing, Belt Delivery With Single Compartment Stacker, Speed: 600 Cycles, Book Block Height: 120mm-440mm, Book Block Width: 120mm-320mm, Book Block Thickness: 2mm-50mm, Grammages: 60-170g/m2, Cover Width: 242mm-710mm, Cover Height: 120mm-440mm, Cover Grammage: 120mm-30 g/m2, Milling Depth : 0-3mm)	ASK
Photos	p-bin-Horizon-BQ-303014	Horizon	BQ 470	2011		4 Clamps	303014	Fully Automated 4-Clamp Perfect Binder, Book Size: Max 320x320 mm, Min 145x105 mm, Cover Size: Max 320x660 mm, Min 135x225 mm, Book Thickness : 0,3 to 65 mm, Milling Depth Adjustment from 0 to 4 mm, Speed: 1,350 Books per hour Equipped with: Color Touchscreen panel, Horizon T-470 Weekly Timer, End-to-end Automated Set-up, EVA Tank Horizon MU-470EVA, Cover Feeder Suction	ASK

Photos	p-bin-Horizon-BQ470-2009	Horizon	BQ 470	2009	Impressions: 356424, Format: 320x320x65	4 Clamps	307023	Fully Automated 4 Clamps Perfect Binder With PUR Gluing Unit from SM Klebetechnik GX2311, AGE 2009, Serial No. 08103754, Book Size: Max. 320x320mm, Min. 145x105mm, Cover Size: Max. 320x660mm, Min. 135x225mm, Book Thickness: 0,3 to 65mm, Cover Weight Range: 81,4 - 302,4 g/sqm, Book Weight Range: 60 - 135 g/sqm, Cover Pile Height: Max. 150mm, Milling Depth Adjustment From 0 To 4mm, Speed: 1350 Cycles/Hour, 4 Creasing Positive/Negative, 2 Creasing, Palmar For Automatic Books Adjustment, Color Touchscreen Panel, Book Thickness Input Caliper SI-470A, Cover Feeder Suction, Supersonic Double Feed Detect Sensor, Glue Tank Unit, Lateral Side Glue, Horizon SI-470A Delivery Conveyor, Smoke Extractor , Power Required: 400V Rotary Current 16A, 6,5 KW For Adhesive Binder and 400V Rotary Current 16A, 6,0 KW For Melting Unit, Standard Accessories	ASK
Photos	p-bin-Horizon-BQ-270	Horizon	BQ 270	ca. 2007	320x320x50	1 Clamp	349003	Max. Book Size: 320x320mm, Min. Book Size: 135x105mm, Book Thickness 1 to 50mm, Max Production Speed 500 Cycles/Hour (About 300 Books)	ASK
Photos	p-bin-Horizon-BQ 270-C	Horizon	BQ 270-C	ca. 2009	Impressions: 12761 Books, Format: 320x320x50	1 Clamp		1-Clamp Automated Perfect Binder, Format: Sheet Size: Max. 320x320mm, Min. 148x105, Format: Cover Size: Max. 660x320mm, Min. 230x135mm, Book Thickness: 1 to 50mm, Cover Weight Range: 80-300 g/m², Cover Pile Height: Max. 70mm, Max. Production Speed: 500 Cycles/Hour (About 300-400 Books/Hour), Color Touchscreen Control Display Panel, 200 Memories For Repeat Orders Saveable Jobs, Double And Miss Detection, 1 Carriage Clamp Automatically Adjusted To The Input Book Thickness, Automatic Book Thickness Caliper, Milling And Roughening Station, Adjustable Milling Depth From 0mm To 3mm, Glue Tank With Dual Application Rollers And Side Gluing Roller (Adjustable Amount Of Glue And Glue Length Through The Color Touchscreen, Spine Gluing, Side Gluing, Nipping Station, Suction Drum Cover Feeder, 4x Cover Scoring/Creasing, PUR Gluing System SM Klebetechnik, Typ: AN 533604, AGE: 2009, Serial No. 09083899, ALKO Dust Extraction, Delivery To A Vertical Stacker Below The Book Loading Station, Power: 400V/50Hz - 2,7kW, Standard Accessories	ASK
Photos	p-bin-horizon-bq-260-s	Horizon	BQ 260	ca. 2001	650x320x40	1 Clamp		1 Clamp Perfect Binder, Hot Melt Glue, Side Gluing System, Milling Station, Automatic Cover Feeder, Delivery, Binding Thickness 1-40mm, Book Spine Length Max. 320mm, Min. 75mm, Cover Max: 650x320mm	ASK
Photos	p-bin-Sulby-1250-3-Clamps	Sulby	1250	1995	432x290x45	3 Clamps	TC/051	3 Clamps Perfect Binder, Auto Cover Feeder With Scoring (Suction), Hot Spine Gluing & Milling & Notching Unit, Speed: Up To 1250 Books Per Hour, Book Block Format: Max. 432x290, Min. 125x105mm, Binding Thickness: 3 to 45mm, Conveyor Delivery	ASK

Photos	bin-Quickbinder	Wohlenberg	Quickbinder	2006	430x320x70	5 Clamp		5 Clamp, Hand Feeding Station, Spine Preparation Station, Rotary Cover Feeder, Touch Screen Control, Scoring Station With Up To 4 Scores, Cover Aligning And Pressing Station, Milling and Notching Unit, Pur Spine Glue, Side Glue, Laydown Delivery, Product Format: Max. 430x320x70mm, Min. 110x105x2mm, Cover Format: Max. 435x650mm, Min. 110x208mm, Width Of Rear Side Of Cover: 103-310mm, Book Hang-Out: 8, 10, 12mm, Opening Width Of Clamps: Max. 90mm	ASK
<u>Perfect Bindingline</u>									
Photos	p-bin-Kolbus-KM-200	Kolbus	KM 200	2012	380x310x60			Kolbus KM 200 + Kolbus HD-143.D, (2012), Book Block Feeder, ATC Automatic Sheet Thickness Control, Perfect Binder: Kolbus KM 200, Book Block Feeder, 26 Clamps Binder, End Sheet Tipping Unit, 2 Feeding Stations, Hotmelt, Premelter, Transfer into the Binder, Automatic Setting, Co-Pilot with Touch Screen, Kolbus AFS 702.W, (Remote Diagnostics), Main Milling Station, 1st Spine Preparation Station, 2nd Spine Preparation Station, Brushing Station, Excluding Dust Extraction System, Machine was Connected to a Centralised Dust Extraction System, Base for Spine Glue System, Hotmelt Spine Glue Unit Interchangeable (Nozzle), Premelter for Spine Glue Unit: LH 375.B, Base for Side Glue System, Hotmelt Side Glue Unit Interchangeable (Nozzle), Premelter for Side Glue Unit, Gauzing Station, Heating Elements in Curve, Rotary Cover Feeder, 4 Scoring Station, Compressor(s), Nipping and Pressing Station, Lay Down Device (to the left), PUR Back Gluing Unit with Premelter - Cold Glue Back Gluing Unit, Block Thickness Measuring Station, Ambaflex SV-400-1800-HS Drying Tower, Three Knife Trimmer: Kolbus HD-143.D, AGE: 2012, Automatic Size Adjustment, Pre Slitter, Co-Pilot with Touch Screen, Right Hand Infeed, Cut Counter, Knife Pre-Setting Device, Kolbus Book Stacker, Automatic Settings, Compensating Stacker, Delivery to the Left and Right, Mechanical Speed: 5000 Books/Hour, Max. Block Format: 310x380x60mm, Min. Block Format: 140x150x1,5mm, Sheet Weight: Min. 80g/m2 – Max. 220g/m2.	ASK

Photos	perf-bin-line-Kolbus-KM473-2006	Kolbus	KM 473	2006	460x320x70	59 Mio. Books	726	Kolbus Perfect Binding Line, Equipped With: Gathering Machine: Kolbus ZU 804, AGE: 2006, Basic Frame with 21 Gathering Stations, 20 Standard Feeders, 1 Hand Feeding Station, Book Block Feeder, ZA 800 Stacker Delivery, AGE: 2006, Kolbus VA 422 End Sheet Unit, AGE: 2006, Air Center Becker CS ZU804/01 Vacuum Unit, AGE: 2006, Reject Unit AS 841 To The Right, Integrated Jogging Station, Transfer Channel As Connecting Unit To The Binder. Perfect Binder: Kolbus KM 473, AGE: 2006, 32 Clamps, Hand Feeding, Co-Pilot System Monitor, Main Milling Station, Equalized Milling Station, Notching Station, Micro-Notching Station, Brushing Station With Roller Brush, 2 x Pre-Melters LH 370, AGE: 2006, Nordson PUR Spine Gluing System, Hotmelt Spine Gluing Unit, Hotmelt Side Gluing Unit, Gauzing/Lining Station, IR Heating At Curve, Scoring Station For 4 Scores, 2 Pressing/Nipping Stations, Stream Cover Feeder SAL 411.A With Shingle Conveyor, AGE: 2006, Gripper Carriage Delivery, Lay Down Device And Reject Station, Transport And Drying Line, Capacity: Max. 8.000 Cycles/Hour, Formats: Max. 383x320x70mm, Max. 460x190x70mm, Min. 105x100x3mm. Three Knife Trimmer: Kolbus HD 150.B, AGE: 2006, Co-Pilot, Right Hand In-Feed, Counter Stacker, Silicon Spraying Device, Standard Cutting Cassettes 7-18. Format: Circumcised: Max. 310x430x80mm, Min. 100x120x2mm, Uncircumcised: Max. 310x430x80mm, Capacity: Max. 6.600 Cycles/Hour, Kolbus (Rima) XRS 130 Compensating Stacker, AGE: 2005, All Belts Are Included.	ASK
Photos	perf-bin-line-Müller-Martini-Type-3016-18	Müller Martini	3016-18 MONOSTAR	1998	420x305x60	Perfect Binding Line	9402359	Müller Martini Perfect Binding Line, Equipped With: Gathering Machine: Müller Martini Type 1571, 12 Stations, Plus Hand Station, Transfer Element / Reject Gate Müller Martini 3641, Transfer Element To Binder Müller Martini 3643. Perfect Binder: Müller Martini 3016-18 (1998) M-Mo. 94.02359, MONOSTAR with 18 Clamps, Milling and Notching Station, Hot-Melt Spine and Side Gluing with Pre-Heating Tank, Stream Cover Feeder, Pressing Station, Conveyor Belts to Trimmer. Three Knife Trimmer: Müller Martini Merit 3671 (1998), Müller Martini 3631 (1998) Stacker Delivery, Mechanical Speed: 5.000 Cycles/Hour, Format: Min. 100x140mm, Max. 420x305mm, Book Thickness: Min. 3mm, Max. 60mm, Cover Width (Open): Min. 203mm, Max. 642mm.	ASK
Photos	perf-bin-line-MM-Panda-1997	Müller Martini	Panda II	ca. 1997	268x369x40mm	Perfect Binding Line		Formats: Minimum Book Size: 114x120mm, Maximum Book Size: 268x369mm, Minimum Book Thickness: 3mm, Maximum Book Thickness: 40mm, Mechanical Speed: 3600 Cycles/Hour, 16 Stations Müller Martini 1541 Gathering Stations With Hand Feed And Criss Cross, Spiral Raceway, Connection to Binder, 9 Clamp 1530 Binder, Cover Feeder, Milling & Roughening, Hotmelt Spine & Side Glue, Premelter, Pressing Station	ASK

Photos	perf-bin-line-Müller-Martini-3006-18-Starbinder	Müller Martini	3006-18 Starbinder	ca. 1996	420x305x60	Perfect Binding Line	9907541 C005	Müller Martini Perfect Binding Line, Equipped With: Endsheets Feeder, Perfect Binder : Müller Martini 3006-18 with Stream Cover Feeder with 18 Stations, Book Block Feeder, Hot-Melt Spine And Side Gluing With Pre-Melter, Spiral Lay Down Balance or Drying Conveyor to Trimmer. Three Knife Trimmer : Müller Martini 3670 With Cassettes for Quick Change, Stacker Delivery, Max. Size: 450x310mm, Max. Speed 6.000 Cycles/Hour, Max. Size Head/Tail: 420mm, Max. Size Spine/Front: 305mm, Production: 4.000 Books/Hour.	ASK
Accessories Perfect Binding Line									
Photos	acc-bk-bin-Cordoba	Cordoba	BA 4/5	2005		Book Block Processing/Finishing Machine		The Cordoba is Designed for Reliable Handling, Pressing, and Transport of Book Blocks in Modern Bookbinding and Finishing Environments.	ASK
Photos	acc-perf-bl-HD-HSB-34	Heidelberg	HSB-34	2003		Semi Automatic Bundler/Stacker	FH.DFAA-00020	Product No. 707826, Semi Automatic Stacking And Bundling Device, Working Width: 34cm, Min. Format: 14x8cm, Max. Format: 34x23cm, Max. Pile Length: 55cm, Pressure: 6 Bar	ASK
Photos	acc-perf-bl-Itra-Bedelec-2005	Itra / Bedelec		2005	450mm	Accessories Perfect Binding Line	ORD05-233	Powered Conveyor Belt With Pressure Guides	ASK
Photos	acc-perf-bl-RALISSA-1998	Meccanotecnica	RALISSA	1998		Electrical Control Cabinet/Power Unit		Rated power: 4.74 kW, Rated current: 10.76 A, Rated operating voltage (3-phase + PE): 400 V, Frequency: 50 Hz, Wiring diagram number: S.F. 621017	ASK
Photos	acc-perf-MartiniITM	Müller Martini	ITM + KFA	ca. 1991		Solo Feeder with KFA Cross Folding	73097	Folding Machine For Papers, Layers, Automatic Feeder Type KFA, Belt Feed, Knife Folding Device For Swiss Postal Folding, Delivery, Vacuum Pump	ASK
Photos	acc-perf-bl-Müller-Martini-pump	Müller Martini		ca. 1989		Accessories Perfect Binding Line		Mobile Automatic Feeder with Vacuum Pump	ASK
Photos	acc-perf-bl-MBO-ET-46-3184	MBO	ET-46	1984	460mm	Accessories Perfect Binding Line		Corner Conveyor Table ET-46, 24 Pin Control Plug, Independent Control, Height Adjustable, Running Direction Left and Right	ASK
Photos	acc-perf-bl-Nestro-53	Nestro	534026	2012		Accessories Perfect Binding Line	P00335.05	Accessories Perfect Binding Line	ASK
Photos	per-bin-line-Pfankuch	Pfankuch	PSA 450-G	2010		Automatic Feeder/Product Infeed Machine		The Machine Separates, Aligns, and Feeds Single Products Accurately into a Downstream Machine or Conveyor System. Typical Applications: Feeding Book Blocks, Covers, Brochures, Cards, Inserts, 3000U/min.	ASK
Photos	acc-perf-bl-Solema-1999	Solema		1999		Stacker Delivery	15034	Stacking Delivery	ASK
Photos	fol- M-2222	Stahl	M 2222	1985		Book Block Processing/Finishing		Book Block Processing/Finishing Machine	ASK
Book Sewing Machine									
Photos	bk-sewing-Aster-180-42-2011	Aster	180/42	2011	38x42	Book Sewing Machine		High Performance Full Auto Computer Programmable Sewing Machine, Automatic Signature Feeder with 4 Upper and 4 Lower Opening Heads, Motorised Infeed Roll, Electronic Programs, Siemens PLC Colour Touch-Screen Console For Automatic Set-Up, Plain & Staggered Stitch, Signature Recognition, Thread Tension Control, Thread Cutt-Off Device, Electronic Central Lubrication, Automatic Opening/Closing of Full Front Guard, Format: Max: 420x320 mm, Min: 150x75 mm, Speed: 180 Cycles / Min.	ASK

Photos	sew-Aster-180/42-2006	Aster	180/42	2006	38x42	Book Sewing Machine		High Performance Full Auto Computer Programmable Sewing Machine, Automatic Signature Feeder with 4 Upper and 4 Lower Opening Heads, Motorised Infeed Roll, Electronic Programs, Siemens PLC Colour Touch-Screen Console For Automatic Set-Up, Plain & Staggered Stitch, Signature Recognition, Thread Tension Control, Thread Cutt-Off Device, Electronic Central Lubrication, Automatic Opening/Closing of Full Front Guard, Format: Max: 420x320 mm, Min: 150x75 mm, Speed: 180 Cycles/Min.	ASK
Photos	bk-sewing-Aster-EL-2022	Meccanotecnica	Aster EL	2022	38x42	Book Sewing Machine		High Performance Full Auto Computer Programmable Sewing Machine, Automatic Signature Feeder with 2 Upper and 2 Lower Opening + 1 Lap, GigaLynx Dual-Control, Motorised Infeed Roll, Stich Lenght: 19mm, 10 Sewing Positions, Electronic Programs, Programming of Lap Openng & Suckers, 15" Siemens Coloured Touch-Screen Console For Automatic Set-Up, Plain & Staggered Stitch, Signature Recognition, Thread Tension Control, Thread Cutt-Off Device, Electronic Central Lubrication, Delivery Conveyor, Format: Max: 420x320 mm (12x16 inch), Min: 150x75 mm, Speed: Max. 10000 Cycles/Hour.	ASK
Photos	bk-sewing-Martini-3253	Martini	3253	ca. 1977	25x44	Book Sewing Machine	99.21170.01C895	Size Max: 440 x 250 mm, Size Min: 90 x 60 mm	ASK
Photos	bk-sewing-Stahl-F142A	Stahl	Brehmer F142A		32x40	Book Sewing Machine	39	Automatic - infeed, Max. Size: 325 x 400 mm, Min. Size: 80 x 120 mm, 10 Sewing HeadsReal, Speed: 95-100 Cycles / min	ASK
Accessories Book Sewing Machine									
Photos	Acc-sew-LBW-340	Polygraph Brehmer	LBW 340			Thread Sealing Machine	341	Thread Sealing Machine	ASK
Photos	Acc-sew-Polygraph-Brehmer-301	Polygraph Brehmer	301			Thread Sealing Machine	O1500 72/002	Thread Sealing Machine	ASK
Diary Production									
Photos	diary-Garudan-GPS-F-6032-HS-22	Garudan	GPS/F-6032 HS-22			Diary Production / Fully Automatic Sewing Machine	903	Heavy Material, Sewing Area: 600x320, Max. Sewing Speed (for Stich Lenth Up to 3mm = 2500 spm, For Rotary Hook = 2300 spm, Stich Lenght: 0,1-12,7 mm, Number of Needles: 135x17, Nm. 120-160, Lift of Presser Foot Max. 20 mm (Strock: 0-7mm), Lift of Feeding Frame: Standard 35 mm, Memory Device: USB Compatible, Unlimited No. of Stiches in Memory, Unlimited No. of Patterns in Memory, 750 W Servomotor Driving Unit, Power Supply: 1-Phase 220 V, 240 V, 50/60 Hz (Power Input 2 KW), Air Consumption 0,6 Mpa (6 Kg/cm2), Ambient Temperature 5°C - 40°C, Fully Automatic Sewing Machine	ASK
Photos	diary-Kiefel-1532	Kiefel				Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	1532	High Frequency Welding Machine With Kiefel Generator Typ 1200 Sb, Gen. HF, 4,5/7,8 A, 1,5 HF-kW, Air Cooles, ca. 4 cbm/min.	ASK
Photos	diary-Kiefel-KH500-2407-775	Kiefel	KH 500			Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	2407/775	KW 0,75, 220/380V, High Frequency Welding Machine With Körting Generator Typ Fixuy G3500 Sb, M-NO. 60 364 689, Gen. HF, 4 HF-kW, 27,12 MHz, 380V, 15,5/27A, 50 Hz, Air Cooled, 8,5 cbm/min.	ASK

Photos	diary-Kiefel-KH500-2407-930	Kiefel	KH 500			Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	2407/930	3 KW, 380 V, High Frequency Welding Machine With Kiefel Generator Typ G3500 Sd, No. 60364861, Gen. HF, 4 HF-KW, 27.12 MHz, 380V, 15,5 A, 50 Hz, Air Cooled, 8,5 cbm/min., Weight: ca. 280 KG	ASK
Photos	diary-Kiefel-1153	Körting	FP 150 B			Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	6.415 305	High Frequency Welding Machine With Körting Generator Typ Fixus G2000 Sb	ASK
Photos	diary-Körting-FP-150	Körting	FP 150 B			Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	6415 356	High Frequency Welding Machine With Körting Generator G2000 Sb, No. 60210544, Gen. HF, 2,3 HF-kW, 27,12 MHz, 380/220 V, 8,6/14,9 A, 50 Hz, Weight: 236 KG, Air Cooled, ca. 8,5 cbm/min.	ASK
Photos	diary-Milan-PM5-S	Milan	PM5/S	2000		Diary Production / Full Automatic Folding Press Machine with Hot Stamping / Umbugpresse mit Heissfolien	100010	Automatic Folding Press Machine With Hotstamping Option, 380V, 50 Hz, 4,5kW	ASK
Photos	diary-moenus-1333	Moenus	1333			Diary Production / Schwenkarmstanze / Swing Arm Punch	110893	Hydraulic Swing Arm Punch for Manual Loading of Material and Tooling, Especially Suitable for Smaller Batch Sizes or Smaller Part Dimensions, Pressure Capacity: 250 KN, Punching Surface ca. 3x50cm, Swiveling Support Table ca. 45x90cm, Power: 380 Volts	ASK
Photos	diary-protos-709125N	Protos (Schuhmaschinen W. Ullrich KG)				Diary Production	709125N	Diary Production	ASK
Photos	diary-protos-709572N	Protos (Schuhmaschinen W. Ullrich KG)				Diary Production	709572N	Diary Production	ASK
Photos	diary-protos-1653001	Protos (Schuhmaschinen W. Ullrich KG)				Diary Production	1653001	Diary Production	ASK
Photos	diary-protos-1652-450	Protos	1652/450	1996		Diary Production	283	380V, 700W, 3,5A, Working Width: 450mm, Wrapping Machine Edge Wrapping Machine Leather Wrapping Machine (Einschlagmaschine Kanten Einschlagmaschine Leder Einschlagmaschine)	ASK
Photos	diary-protos-1652-1991	Protos	1652	1991		Diary Production	1652257	U: 220 V, Working Width: 420mm, Wrapping Machine Edge Wrapping Machine Leather Wrapping Machine (Einschlagmaschine Kanten Einschlagmaschine Leder Einschlagmaschine)	ASK
Photos	diary-Saval-Mirus-TTL4-LR	Saval	Mirus TTL4-LR			Diary Production	001	Sheeter for Unwinding, Cutting and Stacking All Flexible Materials Like Thin Laminated Plastic, Woven-Non-Woven Material (Both Rugged Textile Fiber As Spanbond And Elastic Textile Fiber As Spunlacs) And Paper. Automatic Control System Each Material Roll Can be Unwinded According To An Optimal Material Tensioning. A Dragging Collet Positioned After The Cross Cut Allows To Stack On A Pallet The Sheets Automatically Without Needing Any Operator. Very Good Tolerances On Length are possible Even With Grammage Up To 20 GR/M2, Material: Plastic, Woven-Non-Woven, Paper, Grammage: From 20 GR/M2, Shear Cut Slitting System, Automatic Stacking System	ASK
Photos	diary-Slotting-Machine-305203	Slotting Machine				Diary Production	305203	Slotting Machine	ASK

Photos	diary-various-leather	Various Original Leather for Diaries and Covers				Diary Production		Raw Material	ASK
Photos	diary-Weldan-Denmark-5011-PR-TD	Weldan Denmark	5011-PR-TD			Diary Production / Plastic Processing / Thermoforming / HF Welding Machine	04/91	Automatic High Frequency Welding Machine With Auto Feeder, On-Line Inserter, On-Line Hot Foil Stamping, Auto On-Line Slitter, Promotional Card, Wallet & Pouch Making Machine, 1 Phase, 220+PE Volts, 91 A, Wittmann Temprom Basic C90	ASK
Photos	diary-WSK-Fritz-Wagner-1465-1995	WSK Fritz Wagner	1465	1995		Diary Production / Fully Automatic Sewing Machine	121759	Pfaff, M-No. 3554, M-NO. 67016, Power: 400V 3/N/PE, 0,4 Kw, Air 6 bar, Fully Automatic Sewing Machine	ASK
Photos	diary-WSK-Fritz-Wagner-1465-1993	WSK Fritz Wagner	1465	1993		Diary Production / Fully Automatic Sewing Machine	115639	Pfaff, M-No. 901-1081-001402, Power: 400V 3/N/PE, 0,4 Kw, Air 6 bar, Fully Automatic Sewing Machine	ASK
Photos	diary-WSK-Fritz-Wagner-350-1992	WSK Fritz Wagner	350	1992		Diary Production / Full Automatic Folding Press Machine / Umbugpresse	133329	Fully Automatic Folding Press Machine with 2 Heads, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 500x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1995	WSK Fritz Wagner	348	1995		Diary Production / Automatic Folding Press Machine / Umbugpresse	103359	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1995-2	WSK Fritz Wagner	348	1995		Diary Production / Automatic Folding Press Machine / Umbugpresse	103259	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1994	WSK Fritz Wagner	348	1994		Diary Production / Full Automatic Folding Press Machine / Umbugpresse	117049	Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1993	WSK Fritz Wagner	348	1993		Full Automatic Folding Press Machine with Hot Stamping / Umbugpresse	104439	Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1992	WSK Fritz Wagner	348	1992		Diary Production / Automatic Folding Press Machine / Umbugpresse	110129	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1992-2	WSK Fritz Wagner	348	1992		Diary Production / Automatic Folding Press Machine / Umbugpresse	110329	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1992-3	WSK Fritz Wagner	348	1992		Diary Production / Automatic Folding Press Machine / Umbugpresse	110429	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1992-4	WSK Fritz Wagner	348	1992		Diary Production / Full Automatic Folding Press Machine / Umbugpresse	110529	Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 480x320mm	ASK
Photos	diary-WSK-Fritz-Wagner-348-1992-5	WSK Fritz Wagner	348	1992		Diary Production / Full Automatic Folding Press Machine / Umbugpresse	110229	Fully Automatic Folding Press Machine, U: 400V 3/N/PE, 2Kw, Air: 6 bar, Marterial Size upto 500x320mm	ASK

Photos	diary-WSK-Fritz-Wagner-348-1991	WSK Fritz Wagner	348	1991		Diary Production / Automatic Folding Press Machine / Umbugpresse	134419	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-WSK	WSK				Diary Production / Automatic Folding Press Machine / Umbugpresse		Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
Photos	diary-Zehma-707650	Zehma	707650	1979		Diary Production / Automatic Folding Press Machine / Umbugpresse	1042	Automatic Folding Press Machine, 400V 3N/PE, 1,5 KW, Air: 6 bar, Material Size upto 480x320mm	ASK
<u>Pad Making Machine</u>									
<u>Three Knife Trimmer</u>									
Photos	3-t-Kolbus-HD-150A-1991-249	Kolbus	HD 150A	1991	32x42x8	Three Knife Trimmer	249	Infeed Belt, Integrated Pre-Stacker, Integrated Control Panel, Security Guards, Delivery Belt, Max Untrimmed Size: 12.20" x 15.74" x 3.14", Max Trimmed Size: 11.80" x 15.27" x 3.14", Min Trimmed Size: 3.90" x 4.72" x 0.78", Max Thickness: 3.15", Max. Stacking Height: 3.14", Front Cutt-Off Width: 1.57", Head And Tail Cutt Off Width: 1.96", Capacity: 6.600 Cycles/Hour	ASK
Photos	3-t-Perfecta-SDY-EZ	Perfecta	SDY-EZ1	1986	34,5x52	Three Knife Trimmer	P425-82-00002	Automatic Three Knife Trimmer, Standard Accessories	ASK
Photos	3-t-Perfecta-D30-42	Perfecta	D30/42		300x420	Three Knife Trimmer	40059/71	Manual Feeder with Bin Delivery, Pressure: 2500	ASK
Photos	3-t-Wohlenberg-44FM50	Wohlenberg	44FM50	ca. 1994	32x42	Three Knife Trimmer		Three Knife Trimmer With In-Feed, Magazine, Cutting Device, Delivery Belt	ASK
Photos	3-t-Wohlenberg-44FS50-3282-009	Wohlenberg	44FS50	ca. 1990	32x42	Three Knife Trimmer	3282-009	Three Knife Trimmer With In-Feed, Magazine, Cutting Device, Delivery Belt	ASK
Photos	3-t-Wohlenberg-44FM40-2	Wohlenberg	44FM40		32x42	Three Knife Trimmer		automatic Trimmer infeed table right, stack automatic moed, cutting station, silicon sprayer, counter, equipment for changing the format 1 set of pressing plates & holders, 1 set of quick change cassettes standard size, spare knives set, Knife holders, belt delivery. Max Speed mech speed 5000 books/hour	ASK
<u>Accessories Three Knife Trimmer</u>									
<u>Saddle Stickers / Collators / Gathering Machines / Booklet Makers</u>									
Photos	saddl-HD-Stichmaster-ST-450-2011	Heidelberg	Stichmaster ST450	2011	32x48	Saddlesticher	DKA0-00250	Format: Untrimmed: Min. 85x128mm, Max. 320x480mm, Format: Trimmed: Min. 80x120mm, Max. 315x475mm, Product Thickness: Max. 12mm, Capacity: 14000 Cycles/Hour, Colour Monitor Touch Screen Control For All Functions, Automatic Format Pre-Setting, Feeders: 1 Hand Feeder, Horizontal Signature Feeders: 6x DHU 450, Vertical Signature Feeders: 2x DVU 450, Cover Feeder CHU 450, Stiching Unit ST 450 with 2 Stiching Heads 45-N14, Thickness Control, Delivery To The Left, Reject Gate For Incomplete Products, Three Knife Trimmer TR 450, With Heidelberg CHA Automatic Compensation Stacker, Delivery To The Left, Machine Condition: Excellent, Machine Was Complete Overhaultd In 2019, After That Was Very Rare Used	ASK

Photos	saddl-HD-Stichmaster-ST-400-2	Heidelberg	Stichmaster ST400	2003	32x48	Saddlesticher	390100	Format: Untrimmed: Min. 92x128mm, Max. 320x480mm, Format: Trimmed: Min. 89x120mm, Max. 305x474mm, Capacity: 14000 Cycles/Hour, 6 Feeder Stations, 3x DHU 400 Vertical Feeder, 3x DHU 400 Feeders, 1x CHU 400 Cover Feeder, Sticking Unit ST 400 with 2 Sticking Heads, Three Knife Trimmer TR 400, Delivery	ASK
Photos	saddle-HD-Stichmaster-ST100.2-2007	Heidelberg	Stichmaster ST100.2	2007	30,5x34,9	Saddlesticher	FJ.DABO-001409	4 Stations, Cover Feeder, ST100.2 Sticking Unit, ST100 Three Knife Trimmer, Delivery, Format: Max. 305x349 mm, Min. Format: 89x140 mm, Product Thickness Max. 1 cm, Capacity: 9000 Cycles/Hour, Standard Accessories	ASK
Photos	saddle-HD-Stichmaster-ST100-2003	Heidelberg	Stichmaster ST100	2003	30,5x34,9	Saddlesticher	311137	6 Stations, Cover Feeder, ST100 Sticking Unit, ST100 Three Knife Trimmer, Delivery, Format: Max. 305x349 mm, Min. Format: 89x140 mm, Product Thickness Max. 1 cm, Capacity: 9000 Cycles/Hour, Standard Accessories	ASK
Photos	saddl-Hohner-HSB-7000	Hohner	HSB 7000	2003	36x35	Saddlesticher		Format: (Trimmed) Max. 355x340 mm, Min. 120x75 mm, Format: (Folded) Max. 360x350 mm, Min. 130x105 mm	ASK
Photos	3-t-Hohner-T3	Hohner	Exact Plus			Saddlesticher		Hand Feed Station, 2 Head Stickers, Hohner T3 Three Side Trimmer, Delivery	ASK
Photos	saddl-MM-Bravo-1999	Müller Martini	Bravo	1999	32x48	Saddlesticher	179219	6 Feeder Stations, 1x Cover Feeder, Sticking Unit with 2x HK 75, Three Knife Trimmer, Delivery, M-No.103403-10, Capacity: 12000 Cycles/Hour	ASK
Photos	saddl-MM-Presto-2001	Müller Martini	Presto	2001	30x36	Saddlesticher	Z0514096	9242 Hours, 3 Double Feeders, 1 Hand Feeder, 1 Cover Feeder 1522, Sticking Unit 1528, Three Knife Trimmer, Delivery, Format: Max. 365x305mm, Min. 148x105mm, Max. 360x300mm, Min. 140x75mm, Sticking Thickness: Max. 10mm, Capacity: 9000 Cycles/Hour, Standard Accessories	ASK
Photos	sadd-M-M-Valore-2008	Müller Martini	Valore	2008	30,5x36,5	Saddlesticher		3 Double Feeders, 1 Hand Feeder, 1x Cover Feeder, Sticking Unit, Three Knife Trimmer, Delivery, Capacity: 6000 Cycles/Hour	ASK
Photos	gath-Kolbus-801-20-1999	Kolbus	ZU 801	1999	290x420x65mm	Gathering		20 Stations Signature Gathering Machine, Format: Max. 290x420x65mm, Min. 105x105x3mm, Speed: 6000 Cycles/Hour, Criss Cross Delivery	ASK
Photos	gathering-Polygraph-Brehmer-1984	Polygraph	Brehmer 882/2-18	ca. 1984		Gathering	O130/0118	12 Gathering Stations	ASK
Photos	gath-MM-201-106103	Müller Martini	201	ca. 1982	450x320	Gathering	106103	Gathering Machine For Sheets and Folded Signatures, 12 Stations, Hand-Feeding Stations, Criss-Cross Delivery, Format: Min. 140x100, Max. 450x320, Speed: Upto 5000 Books/Hour	ASK
Photos	sad-col-Duplo-DC-1200	Duplo	DC-1200	ca. 1990		Collator	71234288	12 Stations Collator	ASK
Photos	sad-col-Guternic AB-Typ-Plockmatic 12	Guternic AB	Plockmatic 12	ca. 1984		Collator	120101263	12 Stations Collator	ASK

Photos	sad-col-Horizon-VAC-100	Horizon	VAC 100C	ca. 1999	35x50	Collator	45524	Horizon VAC-100C, 10 Stations Collator, Technology: Touch & Work, Suction And Blowing Air Collating Tower, Error Prevention: Missing Sheet, Double Sheet And Jam Control, Job Memory: 9 Memory Locations For Repeat Jobs, Double Cycle (Non-Stop Operation), Insertion (1-Fold and 2-Fold), Booklet Programs, Block Programs, Selective Collating, Format: Max. 500x350mm, Min. 148x120mm, Paper Weight: 40-250g/sqm, Output: Up To 9500 Sets/Hour, Loading Capacity: 55mm/Station, Power: 230V, 50/60Hz - 1,86kW, Horizon PJ-77 Jogger Delivery, Machine No: 476003	ASK
Photos	sad-col-Horizon-AC-8000S	Horizon	AC 8000S	ca. 1997	31x47	Collator	38006	Air Suction Collator With 8 Stations, Format: Max. 318x470mm, Min. 148x210mm, Missfeeding, Doublefeeding And Jamming Control, Integrated Jogger, Bin Pile Height: 10cm, Paper Weight: 23-210g/qm, Pile Height: 10cm/bin, Capacity: Upto 2400 Cycles/Hour, Jogger Delivery	ASK
Photos	sad-col-Lindaco-3025	Lindaco	3025	ca. 1979		Collator	3005-1592	12 Stations Collator	ASK
Photos	coll-Plockmatic-100-DocuVac	Plockmatic	100 DocuVac	1998	30x44	Collator	100024100	8 Stations Collator with Plockmatic 101 DocuStack, Capacity: Upto 1800 Brochure/Hour	ASK
Photos	coll-Plockmatic-60	Plockmatic	60			Collator	60101581	Sticher	ASK
Photos	col-Theissen-Bonitz-TB-Sprint 303	Theissen Bonitz	TB Sprint 303	1995	35x50	Collator		12 Stations Collator with QS 303 Sticking Unit, Capacity: 3100 Cycles/Hour, Format: Max. 35x50cm, Min. 6,5x10cm, Grammage Upto 1000/gramm/m2, Stacking Height: Max. 300mm, Double & Missing Sheet Control	ASK
Photos	col-Theissen-Bonitz-TB-ECO A308-FP	Theissen & Bonitz	TB ECO A308 FP	2000	31x43	Collator	A308FP2663	8 Stations Collator, Stacking Height: 5cm, Paper Thickness: 20-1000g, Format Max: 31x43cm, Format Min: 10,5x14,8cm, Capacity: 3100/Hour	ASK
Photos	col-TMF-N14	TMF	N14	1991		Collator	Z-2088	14 Stations Collator, Delivery	ASK
Photos	col-TMF10	TMF	N10	ca. 1985		Collator	L1250	10 Stations Collator, Delivery	ASK
Photos	bk-let-Duplo-5000-040501222	FKS Duplo	5000	ca. 2008	35x50	Booklet Makers	O40501222	6212267, 2 x 10 Stations (20 Bins) Duplo Collator DC-10/60, M-No. 040600126/-129, Duplo Connecting Bridge, M-No. 040200317, Duplo Lifting Unit LUL-HM, M-No. 040600026, Duplo Sticking Unit With 2 Hohner Universal 43/6 Heads, Duplo DBM-500T Trimmer, M-No. 040600855, Total Cuts: 7929640, Brochure Repress Station, M-No. 00152158, Duplo Stacker System 5000 For Product Delivery, M-No. 040601504, Format: Min. 120x148mm, Max. 350x500mm, Bin Capacity 60mm, Paper Stock 40-300 gram, Speed: 5000 Booklets/Hour or 10.000 Sets Per Hour	ASK
Photos	bk-let-Duplo-5000	FKS Duplo	5000	ca. 2006	35x50	Booklet Makers		Collator section DC-10/60 (20 bins), Minimum size 120 x 148 mm, Maximum size 350 x 500 mm, Bin capacity 60 mm, Paper stock 40 - 300 gram, Speed 5.000 booklets per hour or 10.000 sets per hours, Booklet maker Duplo, DBM500 stitcher/folder + Duplo DBM600T trimmer, Stitching heads 2 x Hohner	ASK
Photos	bk-let-Duplo-2004-20	Duplo	5000/2000	ca. 2004	35x50	Booklet Makers		2 x 10 Stations (20 Bins) Duplo Collator 5000 10 Bins & Duplo Collator 2000 10 Bins, Duplo Connecting Bridge, Duplo Sticking & Trimming Unit, Format: Min. 120x148mm, Max. 350x500mm, Bin Capacity 60mm, Paper Stock 40-300 gram, Speed: 5000 Booklets/Hour or 10.000 Sets Per Hour	ASK

Photos	bk-let-Duplo-5000-System	Duplo	5000 System		35x50	Booklet Makers		Format: Max. 350x500mm, Min. 120x148mm, 2x 10 DC-10/60 Stations Collator (20 Bins), Duplo Bridge, Duplo Sticher & Folder, Duplo DBM-500 Trimmer, Delivery, Bin Capacity: 60mm, Paper Stock 40-300 Gram, Speed: 5.000 Booklets/Hours or 10.000 Sets Per Hour	ASK
Photos	bk-let-Duplo-DC-8000S	Duplo	DC-8000S	1996	37x65	Booklet Makers	61201001	2 X 8 Stations (16 Bins) Collator DC8000S, SN-No.30400968 & SN-No.21001603, Sticking Unit, Duplo DC48TW Trimmer, SN-No.61201001	ASK
Photos	bk-let-Bourg-Collator	Bourg	BT 12/BT15	1998	35x50	Booklet Makers	228040054	12 & 15 Stations (27) Collator, AGT Sticking Unit, PAT Trimmer	ASK
Photos	bk-let-Horizon-AC-8000-S-42212	Horizon	AC-8000S	1997	31x47	Booklet Makers	42212	Complete Booklet Maker, Exist with: 8 Stations Horizon AC 8000S Collator with Air Suction, Format: Max. 318x470mm, Min. 148x210mm, Missfeeding, Doublefeeding And Jamming Control, Integrated Jugger, Bin Pile Height: 10cm, Paper Weight: 23-210g/qm, Pile Height: 10cm/b, Horizon SPF-10 Sticking And Folding Unit, Horizon FC-10 Trimmer, M-No. 12039, Delivery	ASK
Photos	bk-let-Horizon-Stielow-MC-8-m	Horizon	MC-8	1995	32x47	Booklet Makers	39035	24 Stations MC-8 Collators (3x8 Stations), Horizon SPF-10 Sticking & Folding Unit SPF-10, Format A5 to A3, Serial No. 39035	ASK
Photos	bk-let-Horizon-MC-8a	Horizon	MC-8	1994	32x47	Booklet Makers	09028	8 Stations MC-8a Collator, M-No. 09028, Horizon SPF-10 Sticking & Folding Unit, M-No. 19021, Delivery	ASK
Photos	bk-let-Horizon-MC-8m	Horizon	MC-8m	ca. 1992	32x47	Booklet Makers	57018	32 Stations MC-8 Collators (4x8 Stations), Horizon SPF-20 Sticking & Folding Unit, M-No. 016012, Horizon FC-20 Trimmer, M-No. 016004	ASK
Photos	bk-let-Horizon-MAC-80	Horizon	MAC-80	ca. 1993	31x47	Booklet Makers	15319	2 x 8 Stations (16) MAC-80 Collator, SPF-10II Sticking & Folding Unit, FC-10II Trimmer	ASK
Photos	bk-let-Horizon-MAC-8a-8-Stations	Horizon	MAC-8	ca. 1992	31x47	Booklet Makers	11018	Complete Booklet Maker, Exist with: 8 Stations Collator MAC-8a, M-No. 11018, With Horizon SPF-10 Sticking and Folding Unit, M-No. 24038 and Horizon FC-10 Trimmer, M-No. 09032, Jogging Delivery	ASK
Photos	bk-let-Horizon-VAC-100	Horizon	VAC-100	1998	35x50	Booklet Makers	64025	2 x 10 Stations (20), Sticking Unit SPF-10II Sticher & Folder, Fronttrimmer FC-10II Trimmer, 40.000 Exp./hr.	ASK
Photos	bk-let-Horizon-VAC-100-3	Horizon	VAC-100		35x50	Booklet Makers		2 x 10 Stations (20), Sticking Unit SPF-20II Sticher & Folder, Fronttrimmer FC-10II Trimmer, 40.000 Exp./hr.	ASK
<u>Accessories Saddle Stickers / Collators / Gathering Machines</u>									
Photos	sad-col-Mü-Mart-6254	Müller Martini	6254	1994		Accessories Saddlesticher	35366-95	Accessories Saddlesticher	ASK
Photos	sad-col-Mü-Mart-338-CS-70	Müller Martini	338 CS-70	1995		Accessories Saddlesticher	9701497	Accessories Saddlesticher	ASK
Photos	sad-col-Mü-Mart-314	Müller Martini	314			Accessories Saddlesticher	99.12964/C.419	(type 310-14)	ASK
Photos	sad-col-Sticking-Wires	Sticking Wires				Sticking Wires		Sticking Wires	ASK
<u>Folding Machines</u>									
Photos	fol-Duplex	Duplex	Folder	ca. 1978	35x55			Small Table Folder	ASK
Photos	fol-Duplo-Paperfolder	Duplo	Paperfolder		35x55			Paperfolder	ASK
Photos	fol-Eurofold-H	Eurofold	235.121		35x55		5841	Suction Feeder, 2 pockets, Delivery	ASK
Photos	fol-GUK-FA49/4- 1991	GUK	FA 49/4	1991	49x66		30477	Flatpile Feeder, 4 Pockets, Delivery	ASK
Photos	fol-GUK-K49/4-FE	GUK	K 49/ 4 FE	1987	49x66		24340	Flatpile Feeder, 4 Pockets, 1 Knife, Delivery	ASK
Photos	fol-Guk-K49-4-FE-1986	GUK	K49/4-FE	1986	49x66		23925	Flatpile Feeder, 4 Pockets, 1 Knife, Delivery	ASK
Photos	fol-GUK-FA72-4-37587	GUK	FA 72/4 STAT 1, F4	1997	72x102		37587	Flatpile Feeder, 4 Pockets, 4 Pockets, 2 Pockets, Delivery	ASK
Photos	fol-GUK-K72-6KL-F4-1998	GUK	K72/6KL-F4	1998	72x102		39071	Flatpile Feeder, 6 Pockets, 2 Knives, Delivery	ASK

Photos	fol-HD-Quickfolder-T34B-2-P-4	Heidelberg	Quickfolder T34B-2-P-4	ca. 2001	35,5x50,8			Format: Max. 35,5x50,8cm, Min. 7,6x12,7cm, Fold Length: 5,1 - 34,3cm, Folding Speed: 180 M/Min., Paper Weight Up to 170 Grams Paper, With Display And Program For Automatic Settings, Suction Drum With Double Sheet Control And Front Blowers For Sheet Separation, Anti-Noise Hood, Counter, Delivery	ASK
Photos	fol-HD-Stahlfolder-KD-94-2001	Heidelberg Stahlfolder	KD 94/4KL	2001	94x118		704914/01-302164	Roundpile Feeder, 4 Pockets, 2 Knives, SB-46 MP.D Delivery	ASK
Photos	fol-HD-Stahlfolder-KD-78-62	Heidelberg Stahlfolder	KD 78/4 KL-PD-T		78x108			Flatpile Feeder with Tremat Head, 4 Pockets, 2 Knives, Delivery	ASK
Photos	fol-HD-Stahlfolder-KH-82-2007	Heidelberg Stahlfolder	KH 82/4KL	2007	82x118		1224422876	Roundpile Feeder, 4 Pockets, 2 Knives	ASK
Photos	fol-HD-Stahl-KH78-2008	Heidelberg Stahlfolder	KH-78	2008	78x108		1224424910	Serial No. FH.FNJO-01302, CP 2000 Control Panel, Pallet Feeder, 4 Pocket, 2 Knives, Desta Pressing Unit with Stream Delivery BAS-SA 500, AGE 2007, Serial No. 2035, Max: 230 m/min, Capacity: 50.000 cycles/hour	ASK
Photos	fol-HD-Stahlfolder-KH-78/4-2004	Heidelberg Stahlfolder	KH-78/4 KTL	2004	78x108			16 Page Folding Machine, Roundpile Feeder RFH-82, Counter, BCUH 78 Folding Unit, Parallel Fold Unit with 4 Pockets, Perforating Shaft, First Cross Fold, Second Cross Fold, Sound Hoods, Delivery	ASK
Photos	fol-HD-Stahl-PFH-82-2007	Heidelberg Stahlfolder	PFH-82	2007	82x112		1224420663	Serial No. FH.HCCO-00690, Pallet Feeder, 6 Pockets, 2 Knives, Delivery	ASK
Photos	fol-HD-Stahl-PFH-82-2006	Heidelberg Stahlfolder	PFH-82	2006	82x112		1224418808	Serial No. FH.HCCO-00630, Pallet Feeder, 4 Pockets, 2 Knives, Delivery	ASK
Photos	fol-HD-Stahl-TD-78-6-4-2-3	Heidelberg Stahlfolder	TD 78/6-4-2-RD-T	1998	78x108			Roundpile Feeder, 1st Station: 6 Pockets, 2nd Station: 4 Pockets, 3rd Station: 2 Pockets, Delivery	ASK
Photos	fol-HD-Stahl-TD-78-4-4-2-RW	Heidelberg Stahlfolder	TD 78/4-4-2-RD.T	1996	78x108			Roundpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, 3rd Station: 2 Pockets, Delivery	ASK
Photos	fol-HD-Stahl-TD-78-4-4-2-RA	Heidelberg Stahlfolder	TD 78/4-4-2-RD.T	1996	78x108			Roundpile Feeder, 1st Station: 6 Pockets, 2nd Station: 6 Pockets, Mobile Knife, Delivery	ASK
Photos	fol-Stahl-TD-78-4-4-2	Heidelberg Stahlfolder	TD 78/4-4-2-PD-T	1996	78x108			Pallet Feeder with Tremat Head, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, Mobile Knife, Delivery	ASK
Photos	fol-HD-Stahlfolder-TD 78.1-36	Heidelberg Stahlfolder	TD 78.1/4/4/2-FD		78x108			Flatpile With Tremathead, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, 3rd Stations: 2 Pockets, Delivery	ASK
Photos	fol-HD-Stahlfolder-TH-82-2009	Heidelberg Stahlfolder	TH-82	2009	82x112		1224426195	Serial No. FH-ESCA-02357, CP 2000 Control Panel, Roundpile Feeder, 1st Station: 6 Pockets, 2nd Station: 4 Pockets, Delivery	ASK
Photos	fol-HD-Stahlfolder-TI-40	Heidelberg Stahlfolder	TI-40	2005	40x74		1224406595	Serial No. FH.FANB-000076, Flatpile Feeder With Tremathead And DCT Control, 4 Pockets, Delivery, Equipped With Heidelberg Gluing Unit, Format: Max. 40x84cm, Min. 10x15cm	ASK
Photos	fol-HD-Stahlfolder-TI-52-2009	Heidelberg Stahlfolder	TI-52	2009	52x72		1224426196	Serial No. FH.FAPF-001439, Flatpile Feeder, 4 Pockets, Delivery	ASK
Photos	fol-Horizon-AFC-544-AKT	Horizon	AFC-544 AKT	ca. 2006	54x74			Speed: 230 m/min, Full Automatic Adjustment Control, Touch & Work Technology, Memory Storage for Folding Programs, Flat Pile Feeder, 4 Pockets, 1 Knife, Anti Noise Hood, Delivery Conveyor, Standard Accessories	ASK
Photos	fol-Horizon-AFC-504-AKT	Horizon	AFC-504 AKT	ca. 2004	54x76		2912	Speed: 230 m/min, Full Automatic Adjustment Control, Touch & Work Technology, Memory Storage for Folding Programs, Flat Pile Feeder, 4 Pockets, 1 Knife, Anti Noise Hood, Delivery Conveyor, Standard Accessories	ASK
Photos	fol-Multigraf-445-122	Multigraf	445.122	2005	35x55			Flatpile Feeder, 1st Station: 4 Pockets, 2nd Station: 2 Pockets, Delivery	ASK
Photos	fol-Martin-Yale-959-	Martin Yale	959 Autofolder	ca. 1987	35x55		959220	serial: 5105 ,2 Pockets, Delivery	ASK

Photos	fol-Multipili-382-79831001	MB Multipili	382	ca. 1979	38x52		79831001	Suction Feeder, 2 Pockets, Compressor, Table Folding Machine	ASK
Photos	fol-MB-Multipili-382-kro-de	MB Multipili	382	ca. 1982	38x52			Suction Feeder, 2 Pockets, Delivery	ASK
Photos	fol-MBO-B-30-R	MBO	B30-1-30/4	1989	72x102		30539	Serial No. R09/105, Roundpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, Delivery	ASK
Photos	fol-mbo-t800	MBO	T 800-1-82/4	ca. 2001	80x120		32427	Serial No. R11/47, Roundpile Feeder with Overhead Digital Panet, HSS Gluing System, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, 3rd Station: 2 Pockets, Pressing Delivery	ASK
Photos	fol-MBO-T49-4x-C04 17	MBO	T49/4X	1985	49x69		855037	Flatpile Feeder, 4 Pockets, 1 Electronic Knife, Delivery	ASK
Photos	fold-MBO-T530-2002	MBO	T530-2-53-4	2002			O31202	Roundpile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, Delivery	ASK
Photos	fold-mbo-t500-2008	MBO	T500	2008	50x70		38.292/10.000	Flatpile Feeder, 4 Pockets, 1 Knife, Delivery	ASK
Photos	fold-mbo-t500-2-x	MBO	T500-2-X	1994	50x70		3335	Serial No. M12/42, Flatpile Feeder, Overhead Control Panel, 4 Pockets, 1 Cross Fold Knife, Delivery	ASK
Photos	fol-MBO-terb	MBO	T52/44	1988	52x72		880210483	Serial No. 50871101, Flatpile Feeder, 4 Pockets, Delivery	ASK
Photos	fol-MBO-T52/4X-130119	MBO	T52/4X	1980	52x72		130119	Serial No. 80025129, Roundpile Feeder, 4 Pockets, 1 Electronic Knife, Delivery	ASK
Photos	fold-Morgana-Junior	Morgana	Junior 90422					Serial No. 041274DKAK	ASK
Photos	fold-Morgana-Junior-904222	Morgana	Junior 904222		A3		O41761 FEA AW	High Speed Paper Folding Machine, Counting and Batching, Digital Plate Adjustment For Accurate Reading, Sound Hoods, 6 Fold Types, Double Sheets and Jam Detector, Suction Feeding, Complete with Perforation Unit and Perforation Blades, Up To 240gsm, Speed: 27000 Sheets/Hours	ASK
Photos	fol-Nagel-Docu-Fold-s	Nagel	Docu-Fold	2006				Folding Machine	ASK
Photos	fol-Otto-Klingner-Type-45	Otto Klingner	45	ca. 1975	45x55		1147	2 Pockets, Table Folding Machine	ASK
Photos	fol-schmidt-k52-1-832	Schmidt	K52	ca. 1979	52x72		1-832	Flatpile Feeder, 4 Pockets, 1 Knife, Delivery	ASK
Photos	fol-HD-Stahl-T52 3T/4-4-T-109138	Stahl	T52 3T/4-4-F	1998	52x72		109138-262710	Flatpile Feeder, 4 Pockets, Delivery	ASK
Photos	fol-StahlT52/4	Stahl	Ti52/4-Fi	1998	52x72		114591/98-267759	Flatpile Feeder with Tremat Head, 4 Pockets, SAK 56 S2 Delivery	ASK
Photos	fol-Stahl-TS49-4K-FSA	Stahl	TS49/4K-FSA	1983	49x65		24264/83	Flatpile Feeder, 4 Pockets, Delivery	ASK
Photos	fol-Stahl-K58-64	Stahl	K58.64	1959			3056		ASK
Photos	fol-Stahl-T36-31501	Stahl	T36.4-F	1989	36x56		31501/86-123513	Flat Pile Feeder, 1st Station: 4 Pockets, 2nd Station: 4 Pockets, Delivery	ASK
Accessories Folding Machines									
Photos	fol-Gluing-station	Gluing station	Opimatic	ca. 1981		Gluing Station		Gluing station	ASK

Photos	acc-fol-HD-Twinstacker-TSH-70	Heidelberg	Twinstacker TSH-70	2006	700x340mm	Accessories Folding	1224417222	Serial No. FH.DMA0-00272, The Twinstacker TSH Vertical Stack Delivery Is The Economical Solution To Broadly Cover The Medium To High Capacity Range. The Delivery Transports The Individually Pressed Sheets Through The Belt Section Without Marking. Subsequently, The Stacks Are Formed From The Top In Catch Baskets And Laid Out Alternately – In Two Stacking Levels Arranged One Above The Other. This Enables Effective Non-Stop Operation. The Simple Handling With Good Accessibility Also Facilitates The Processing Of Multiple-Ups. The Height-Adjustable Feed Table Ensures That The TSH Twinstacker Can Be Positioned Easily And Flexibly At The Various Preliminary Stations. Whether Laying Out Isolated Sheets Or Even In A Shingle Stream – The Twinstacker TSH Convinces In Every Respect With Its Performance. User-Friendly Stack Delivery, Mark-Free Laying Out Up To Two Uses, With User-Friendly Ergonomic Removal, Format: Max. 700x340mm, Min. 100x100mm, Product Thickness Max. 6mm, Stacking Height Per Level Max. 10cm, Optimal For One-Man Operation On Folding Machines With High Machine Speeds Of Up To 18,000 Cycles, MCT Control Panel	ASK
Photos	fol-HD-Stahl-SPH-100	Heidelberg Stahlfolder	SPH-100	2009		Accessories Folding		Pressing Delivery, With Marking Unit	ASK
Photos	acc-fol-HD-Folding-Coupling-Box-0080-03	Heidelberg	Folding Coupling Box	2012		Accessories Folding		Folding Coupling Box	ASK
Photos	acc-fol-HD-Folding-Coupling-Box-FH-GKAO-02690	Heidelberg	Folding Coupling Box	2011		Accessories Folding		Folding Coupling Box, Serial No. FH.GKAO-02690	ASK
Photos	acc-fol-HD-Folding-Coupling-Box-0263-01	Heidelberg	Folding Coupling Box	2011		Accessories Folding		Folding Coupling Box, Serial No.: 0263.01	ASK
Photos	acc-fol-HD-Folding-Coupling-Box-1224425134	Heidelberg	Folding Coupling Box	2008		Accessories Folding	1224425134	Folding Coupling Box	ASK
Photos	acc-fol-HD-Folding-Coupling-Box	Heidelberg	Folding Coupling Box	2007		Accessories Folding	1224422746	Folding Coupling Box, Serie: FH.GKAO-01785	ASK
Photos	acc-fol-HD-Stahl-VSA-86-D-MKE-D	Heidelberg Stahl	VSA 86.D+MKE.D			Accessories Folding	111181-263542	Pressing Delivery	ASK
Photos	fol-HD-Stahl-VSA-66-MKE-D	Heidelberg Stahl	VSA 66.D + MKE		66	Accessories Folding		Pressing Delivery	ASK
Photos	fol-HD-Stahl-VSA-66-NA	Heidelberg Stahl	VSA 66.1 D	1995	66	Accessories Folding		Pressing Delivery	ASK
Photos	fol-HD-SBP-66-MKE-D	Heidelberg	SBP 66.D - MKE.D	1996	66	Accessories Folding		Pressing Delivery	ASK
Photos	acc-fol-HD-Stahl-SAK-66-3-47945-210009	Heidelberg Stahl	SAK 66.3		66	Accessories Folding	47945-210009	Delivery	ASK
Photos	acc-fol-Horizon-afc-746d	Horizon	AFC-746D			Accessories for Folding Machine	311009	Delivery	ASK
Photos	fol-Hawe-HC-24	Hawe	11/2-X24			Accessories Folding		Lift	ASK
Photos	fol-MBO-Coupling-Box-16-10-Pin-DC-AC	MBO	Coupling Box 16/10 Pin DC/AC			Coupling Box		Coupling Box 16/10 Pin DC/AC	ASK
Photos	fol-Multieffect-delivery	Multieffect	Delivery			Delivery		Delivery	ASK
Photos	fol-MBO-Z2-FW	MBO	Z2 FW	1984		Mobile Knife		Mobile Knife	ASK
Photos	fol-MBO-Access-Fold-2	MBO	Accessories Folding Machines	ca. 1976		Delivery		Delivery	ASK
Photos	fol-MBO-A76	MBO	A76	ca. 1979	76	Delivery		Delivery for Folding Machine	ASK

Photos	fol-MBO-Access-Fold-SAB-46	MBO	SAB 46		46	Delivery		Delivery for Folding Machine	ASK
Photos	fol-MBO-SAP-46-Cw	MBO	SAP 46		46	Pressing Delivery	80860936	Delivery	ASK
Photos	fol-MBO-PA46-80810411	MBO	PA 46	1980	46	Pressing Delivery	80810411, Ser:81056004	MBO Pressing Delivery Unit	ASK
Photos	fol-Morgana-UFO5	Morgana	UFO5 Crossfolder			Cross Folding Unit	D35038V6AB	Cross Folding Unit	ASK
Photos	fol-Palamides-BA700	Palamides	BA700	1999		Bundle Delivery with Pressing Station	102-9-700-016	Serial 0317, Infeed Station, Pressing Station, Jogging Station, Banding Station for up to 2 up Production, Transport to Paternoster Delivery Table Format Sizes 1 up Production 720 x 235 mm, 2up Production 335 x 235 mm	ASK
Photos	fol-Palamides-BA700-2	Palamides	BA700	1999		Bundle Delivery with Pressing Station	1026-700-011	Infeed Station, Pressing Station, Jogging Station, Banding Station for up to 2 up Production, Transport to Paternoster Delivery Table Format Sizes 1 up Production 720 x 235 mm, 2up Production 335 x 235 mm	ASK
Photos	fol-Stahl-SAK78-3	Stahl	SAK78.3	1989	78	Delivery	38745/89-158148	Delivery	ASK
Photos	fol-Stahl-SAK78-2	Stahl	SAK78.2	1989	78	Delivery	30223-116172	Delivery	ASK
Photos	fol-Stahl-2-TV-66-4LD1	Stahl	2.TV 66/4LD1	1979	66	Folding Station	13856/79	Folding Station	ASK
Photos	fol-Stahl-MKE-112-D	Stahl	MKE 112.D	1997	112	Marking Device	96886-97-254002	Marking Device MKE 112	ASK
Photos	fol-stahl-ps66.2-44191	Stahl	PS 66.2	ca. 1992	66	Pressing Delivery	44191-180558	Pressing Delivery Unit	ASK
Photos	fol-stahl-ps66-27262-84	Stahl	PS 66	1984	66	Pressing Delivery	27262/84	Pressing Delivery	ASK
Photos	acc-fol-Stahl-SB-66-MP.D-705665	Stahl	SB-66-MP.D		66	Accessories Folding	705665-300012	Pressing Delivery, Accessories Folding machine	ASK
Photos	fol-HD-Stahl-VFZ-52-D-2002	Stahl	VFZ.D-52	2002	52	Mobile Knife		Mobile Knife	ASK
Photos	fol-HD-Stahl-VFZ-52-D-2001	Stahl	VFZ-52.D	2001	52	Mobile Knife		Mobile Knife	ASK
Photos	fol-Stahl-VFZ-52-D	Stahl	VFZ 52.D			Mobile Knife	88174-248008	Mobile Knife	ASK
CTP / CTF / Plate Maker									
Photos	ctp-Agfa-Avalon-LF	Agfa	Avalon LF	2007	82x116	CTP		Thermal Plates, Plate Washing and Gumming Uni Agfa Azura C120, Plate Stacker Agfa 120 C, Agfa Apogee-ink. PC/Win - Workstation, Plate Size Max: 1160x820mm, Plate Size Min: 250x310mm, Max Image Area: 1020x820mm, Resolutions: 1200, 2400 dpi, Plate Thickness: 0,15	ASK
Photos	ctp-Agfa-Acento-E-2005	Agfa	Acento-E	2005	37x83	CTP	O949680501	All Rip and Software Included, 2400 dpi, Formats: Min. 324x660mm, Max. 370x830mm, PST 26 Compact Stacking Delivery, 16 Diodes Laserhead, Infrarot 830nm thermal, chemical free thermal CTP with Autofeeding	ASK
Photos	ctp-Heidelberg-A52-A74-K	Heidelberg	Suprasetter A52/A74	2008	67x75	CTP		CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, Typ PJ.003.0000, Serial No. PJ000871, Processor Glunz & Jensen C85, Serial No. 93292-0682, 64 Diodes, External Drum, Throughput 17 Plates/Hour at 2540 dpi, Bacherst Suit Punching D	ASK
Photos	ctp-HD-Suprasetter-A52-2007	Heidelberg	Suprasetter A52/74	2007	52x74	CTP			ASK
Photos	ctp-HD-Suprasetter 105-2007	Heidelberg	Suprasetter 105	2007	79x103	CTP	PL001614	CTP Computer-to-Plate Imagesetter For Thermal Plates 830nm, 2xLaser Heads, Solution: 2400, 2540 dpi, Format: Max. 790x1030mm, Min. 370x323mm, Plate Thickness: 0,15-0,35mm, Speed: 23 Plates/Hour	ASK
Photos	ctp-Fujifilm-Luxel-Vx-6000-CTP	Fujifilm	Luxel Vx 6000 CTP	2008	672x760	CTP		Singal Plate Feed, Extra Large Imaging Area, Maximum 760x672mm, Semi-Automatic & Manual Configurations	ASK

Photos	ctp-Kodak-Lotem-800-II-Quantum	KODAK	Lotem 800			CTP		ATAG ECO 206LG, M-No. 10495, AGE: 2007, Kodak Debris Removal Cabinet, Serial No. DC6147, AGE: 2007, IMAF ATAG STA 130 CTP, M-No. 10519, AGE: 2007 Plate Processor	ASK
Photos	ctp-screen-4300-E	Screen	PlateRite PT-4300E	2008	66x83	CTP	10888	16 Channel Infrared Laser Diodes, Max. Plate Size 830 x 660 mm, Min. Plate Size 324 x 370 mm, Soft Server TrueFlow	ASK
Photos	ctp-Screen-Plate-Rite-PT-R4100-2005	Screen	Plate Rite PT-R4100	2005	66x83	CTP	679	Max. 830x660, Min. 324x370, Thermal CTP, Resolutions: 2,400/2,438/540 dpi, Plate Stacker M-No. 035DS1040, Screen AT-4000 Processor BridgeGlunz & Jensen Raptor 85 Thermal	ASK
Photos	ctf-DPX-System-Eskofot	Eskofot	DPX System Purup			CTF		CTF: Computer to Film	ASK
Photos	ctf-HD-Signasetter-1250i-Kodak-Polychrome-PC32	Heidelberg	Signasetter 1250i Kodak Polychrome PC 32	1997	72x102	CTF	1966	Internal Drum Imager A0, Automatic Sheet Pliers, Online Developer Kodak Kodakmatic 1250i, PC Control 1 Delta Tower, Heidelberg Signastation	ASK
Photos	ctf-Agfa-Accuset-1000	Agfa	Accuset 1000			Film Exposure		Film Exposure	ASK
Photos	ctf-Alfalith-T51-365	Alfalith	T51			Film Processor	365	Film Processor	ASK
Photos	ctp-Bacher-wod	Bacher	with Agfa Elantrix 125S Plate Processor			Light Table	6765	Light Table	ASK
Photos	ctp-Bacher-schom-de	Bacher				Light Table		Light Table	ASK
Photos	Light-Table-Biromatika-MO-T-405	Biromatika MO	T 405			Light Table	34324044	Serial no: 1163, Light Table	ASK
Photos	ctp-Boettcher-Renner-light-table	Böttcher + Renner (Sixt)				Light Table		Light Table	ASK
Photos	light-tab-Just-2024	Just	Color-Control Professional		72x96	Light Table		Light Table	ASK
Photos	ctp-light-table-vo	Light Table				Light Table		Light Table	ASK
Photos	ctp-Mega-Stahl-699-2-91314	Mega Stahl	699-2	1991		Light Table	91314	Light Table	ASK
Photos	ctp-Mega-Stahl-bosn	Mega Stahl	Light Table			Light Table		Light Table	ASK
Photos	ctp-Megastahl-Light-Table	Megastahl	Light Table	ca. 1975		Light Table		Light Table	ASK
Photos	ctp-Mega-Stahl-wod	Mega Stahl	Light Table			Light Table	6765	Light Table	ASK
Photos	ctp-Proofprint-on-movable-Table	Proofprint-on-movable-Table	Proofprint Table			Light Table		Proofprint Table / Light Table	ASK
Photos	ctp-Agfa-Printon-CDL-2000-S	Agfa	Printon CDL 2000 S			Plate Exposure		Plate Exposure	ASK
Photos	p-m-Degra-Unicop-620	Degra	Unicop 620	ca. 1984	50x62	Plate Exposure		Plate Exposure	ASK
Photos	p-m-O.M.S.-Typ-Copystar-A2-Nr-99-2060	O.M.S.	Typ Copystar A2			Plate Exposure	Nr. 99-2060	Plate Exposure	ASK
Photos	p-m-Plate-Exposure-HU	Plate Exposure				Plate Exposure		Plate Exposure	ASK
Photos	p-m-Sack-190855	Sack	Typ 190855		65x85	Plate Exposure	19941612	Plate Exposure, (Kom Nr. T4-1612)	ASK
Photos	p-m-Sack-300920	Sack	300920			Plate Exposure	Kom-Nr. 87-2351	Fabrik Nr.30871568	ASK
Photos	p-m-Screen-P-641-FW-92	Screen	P-641-FW	1992	70x100	Plate Exposure	521200516	Plate Exposure	ASK
Photos	p-m-Multimat-O 64-3180	Theimer Multimat O 64	3180	1982	64x72	Plate Exposure	86120166	Plate Exposure	ASK
Photos	ctf-Plate-Processor-Agfa-Akrana-85	Agfa	Arkana 85	2018	85	Plate Processor	AW41057B	Plate Thickness: 0.15-040mm, Speed: 160cm/min., Thermal Plate Processor Incl. Conveyor, Plates: Energy Elite Eco, Positive-Working Digital Thermal Offset Plate, Min. Plate Width: 200mm, Max. Plate Width: 850mm, Min. Plate Length: 300mm, Plate Throughput: 95 Plates/Hour (Landscape), Plate Throughput: 67 Plates/Hour (Portrait)	ASK
Photos	ctf-Plate-Processor-Glunz-&-Jensen	Glunz & Jensen	Interplater 88	2004	88	Plate Processor	90097-0880	Plate Processor	ASK
Photos	p-p-Bacher-2005	Bacher	Type: 2005.01	2000		Plate Punch	2491	Plate Punch	ASK

Photos	pl-punch-Bacher-2045-2670	Bacher	2045	1983		Plate Punch	2670	Plate Punch	ASK
Photos	pl-punch-Bacher-2045-4530	Bacher	2045	ca. 1980		Plate Punch	4530	Plate Punch	ASK
Photos	pl-punch-Bacher-2042-6809	Bacher	2042			Plate Punch	6809	Plate Punch	ASK
Photos	pl-punch-Bacher-2002	Bacher	2002.06	2003		Plate Punch	4084	Plate Punch	ASK
Photos	pl-punch-Bacher-Controll-2000	Bacher	Controll 2000			Plate Punch		Plate Punch	ASK
Photos	pl-punch-Bacher	Bacher	Plate Punch			Plate Punch		Plate Punch	ASK
Photos	pl-punch-Beil-425-T-H-1998	Beil	425-T-H	1998	52	Plate Punch	10666	Plate Punch	ASK
Photos	pl-punch-beil-4	Beil	BRS 425-T-St	1990		Plate Punch	5406	Plate Punch	ASK
Photos	pl-punch-Beil-425-T-H-AP	Beil	425-T-H-AP, Typ: 11100097	2009		Plate Punch	26646	Plate Punch	ASK
Photos	pl-punch-beil-635-T-110	Beil	Type 635-T-110	2000		Plate Punch	13660FA251922	Plate Punch	ASK
Photos	pl-punch-Billows-Protocol-Register	Billows	Protocol Register System	ca. 1975		Plate Punch		Plate Punch	ASK
Photos	pl-punch-HD-Nela-455-28	Heidelberg	Nela 69.091.9041/03	2002		Plate Punch	455/28	Plate Punch	ASK
Photos	pl-punch-HD-1754-26	Heidelberg	G2.090.9041/01B	1998		Plate Punch	1754/26	Plate Punch	ASK
Photos	pl-punch-HD-Nela-1997	Heidelberg	Nela C2.144.1301	1997		Plate Punch	2295-27	Plate Punch	ASK
Photos	pl-punch-Horst-Kieper	Horst Kieper		1997		Plate Punch	285-97	Plate Punch	ASK
Photos	pl-punch-Liorigrafic	Liorigrafic	Plate Punch			Plate Punch	661880	Plate Punch	ASK
Photos	pl-punch-Montaloch-red	Montaloch				Plate Punch		Plate Punch	ASK
Photos	pl-punch-OPS-24-2	Offset Plate Punch	OPS-24-2			Plate Punch	001315	Offset Plate Punch	ASK
Photos	pl-Plate-Punch-3.2.1974.3	Plate Punch				Plate Punch	3.2.1974.3	Plate Punch	ASK
Photos	pl-Plate-Punch-70-14-870100	Plate Punch				Plate Punch	70-14-870100	Plate Punch	ASK
Photos	pl-punch-plate-punch-RP22	RP	22	ca. 1994		Plate Punch		Plate Punch, RP22, serial 0559	ASK
Photos	pl-bender-HD-Nela-4383-06	Heidelberg	Nela G2.090.9051/02	2002	52	Plate Bender	4383/06	Plate Bender	ASK
Photos	pl-bender-HD-Nela-1997	Heidelberg	Nela 91.144.130102	1997		Plate Bender	2007-27	Plate Bender	ASK
Photos	pl-bender-HD-Nela-G2-090	Heidelberg	Nela G2.090.9051/02			Plate Bender	1732/25	Plate Bender	ASK
Photos	ctp-Mega-Stahl-1840	Mega Stahl	1840 1000	ca. 1992		Plates Test Station	oo2387	Offsetplates Test Station / Offsetplatten-Prüfstand	ASK
Photos	Plotter-epsonstylus-pro11880	Epson	Stylus Pro 11880		162,6 cm	Plotter	KU20000024	Print Resolution: 2.880 x 1.440 dpi	ASK
Photos	Plotter-Epsonstylus-Pro9900	Epson	Stylus Pro 9900	2011	111,8 cm	Plotter	LFXE000687	2.880x1.440 dpi, 0,8 min for printing in DIN A1 format, more then 40 qm/h, (44 Zoll) Plotter	ASK
Photos	p-l-epson-pro-7900-K161A	Epson	Stylus Pro 7900	2009		Plotter		Model K161A	ASK
Photos	plott-epson-stylus-pro-4900A	Epson Stylus Pro 4900	K181A	2014		Plotter	101508-11	Plotter	ASK
Photos	Plotter-Mutoh-ValuejetVJ1624	Mutoh	Valuejet VJ 1624	2011	162,5 cm	Plotter	G06U000115	Format: Max. Material Format 162,5 cm (63,97"), Max. Printing Format 1615mm (63,58"), Max. Material Thickness:	ASK
Photos	pre-press-mores-Electro-Power-Trim-250	Neolt Electro Power Trim 250	EL PW Trim 250		250	Roll Cutter / Laminator Schneider	6391609481	Roll Cutter / Laminator Schneider	ASK
Photos	pre-press-mores-Prepress-Solution-CE98	Prepress Solution CE98	Model RM-3				984939		ASK
Photos	pre-press-mores-Prepress-Solution-CE94	Prepress Solution CE94	Model RM-3	1994			943129		ASK
Accessories CTP									
Mores CTP									

Photos	ctp-mores-Busch-w.vollm	Busch	DO	1994			945/691		ASK
Photos	ctp-Deitenbach-906-S	Deitenbach	906 S	ca. 1998		Platwasher	982047	Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual	ASK
Photos	ctp-Deitenbach-93771	Deitenbach	93771	ca. 1998		Platwasher	o36395	Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual	ASK
Photos	ctp-Küvette	Küvette				Küvette		Platwasher/Küvette. Conventional offline Plate Processor, 500 and 550 mms width; simple and all manual	ASK
Photos	ctp-Küvette-an	Küvette				Küvette		Platwasher/Küvette	ASK
Wiro Binding / Calender Production									
Photos	diff-bomco-em2	Bomco	EM2	2000		Wire-O-Closure	1907/00	Pitch: PERL	ASK
Photos	wire-Binder-D310	Binder	D310			Wirobinding / Calender		For Double Wire 3:1	ASK
Photos	diff-bpm-jack-burn-prot	Jack Burn	PROT	ca. 1973		Wiro Closing Machine	T1/9602	Wiro Closing Machine	ASK
Photos	calend-Laminel-S.A.	Lamimetal	500			Calender Production	960353	Lamirel S.A.	ASK
Photos	wiro-renz-bosn	Renz				Wirobinding / Calender Production		Wirobinding / Calender Production	ASK
Photos	wiro-Renz-Eco-E	Renz	Eco E			Wirobinding / Calender Production	26210200-2520	Electric punch + manual closing; for wire comb (2:1 pitch) binding. 26 pins; with selectable/deactivatable pins for different formats, Maximum Binding Thickness 28 mm (= 280 sheets of 80 gsm paper), Punching Capacity (thickness per punch) 30 sheets (= 3 mm) of 80 gsm paper in one punch cycle, Speed / Throughput Up to ~ 300 books per hour in binding; punching is fast (about ~1s per cycle), Margin Adjustment Adjustable margin / side lay for clean & strong binds. Power / Motor 250 W motor; 230 V / 50 Hz standard, with 110 V	ASK
Photos	wiro-Renz-Eco-S-360	Renz	Eco S 360			Wirobinding / Calender Production		Wirobinding / Calender Production	ASK
Photos	wiro-Renz-Eco-Comfort	Renz	Eco 360 Comfort Plus			Wirobinding / Calender Production	440252	Electric wire-comb binding with manual closing. 2:1 pitch wire comb style. Working / Maximum punching width 360 mm, Minimum punching width 10 mm, Maximum unpunched (sheet) length 500 mm, Minimum unpunched length 50 mm, Max punching thickness 2.5 mm (~ 25 sheets of 80 g/m² paper), Binding thickness / Block thickness 1 - 34 mm, Max sheets bound (80 gsm) 340 sheets, Wire diameter / binding element size 6.9 - 38.0 mm, Pitch & Hole size 2:1 pitch; hole pattern rectangular (5.5 × 3.5 mm), Selectable / Deactivatable Punch Pins (QSA) Yes — “Quick Size Adjustment” allows individual punch pins to be deactivated to adapt formats (e.g. A5, A4). Adjustable margin depth Yes — margin / unbound edge can be adjusted between 2 mm and 4.5 mm. Power Requirements 180 W; typical supply 230/250 V 50 Hz, also alternative 115/200 V 60 Hz. Speed / Output, Punching: up to ~ 16,000 punched sheets/hour (80 g paper), Binding (books): up to ~ 250 books/hour, Calendars: up to 180 calendars/hour	ASK

Photos	wiro-Renz-Eco-Comfort-2	Renz	Eco 360 Comfort Plus			Wirobinding / Calender Production	440225	Electric wire-comb binding with manual closing. 2:1 pitch wire comb style. Working / Maximum punching width 360 mm, Minimum punching width 10 mm, Maximum unpunched (sheet) length 500 mm, Minimum unpunched length 50 mm, Max punching thickness 2.5 mm (~ 25 sheets of 80 g/m² paper), Binding thickness / Block thickness 1 - 34 mm, Max sheets bound (80 gsm) 340 sheets, Wire diameter / binding element size 6.9 - 38.0 mm, Pitch & Hole size 2:1 pitch; hole pattern rectangular (5.5 × 3.5 mm), Selectable / Deactivatable Punch Pins (QSA) Yes — “Quick Size Adjustment” allows individual punch pins to be deactivated to adapt formats (e.g. A5, A4). Adjustable margin depth Yes — margin / unbound edge can be adjusted between 2 mm and 4.5 mm. Power Requirements 180 W; typical supply 230/250 V 50 Hz, also alternative 115/200 V 60 Hz. Speed / Output, Punching: up to ~ 16,000 punched sheets/hour (80 g paper), Binding (books): up to ~ 250 books/hour, Calendars: up to 180 calendars/hour	ASK
Photos	wiro-Renz-Eco-Comfort-3	Renz	Eco 360 Comfort Plus			Wirobinding / Calender Production	440254	Electric wire-comb binding with manual closing. 2:1 pitch wire comb style. Working / Maximum punching width 360 mm, Minimum punching width 10 mm, Maximum unpunched (sheet) length 500 mm, Minimum unpunched length 50 mm, Max punching thickness 2.5 mm (~ 25 sheets of 80 g/m² paper), Binding thickness / Block thickness 1 - 34 mm, Max sheets bound (80 gsm) 340 sheets, Wire diameter / binding element size 6.9 - 38.0 mm, Pitch & Hole size 2:1 pitch; hole pattern rectangular (5.5 × 3.5 mm), Selectable / Deactivatable Punch Pins (QSA) Yes — “Quick Size Adjustment” allows individual punch pins to be deactivated to adapt formats (e.g. A5, A4). Adjustable margin depth Yes — margin / unbound edge can be adjusted between 2 mm and 4.5 mm. Power Requirements 180 W; typical supply 230/250 V 50 Hz, also alternative 115/200 V 60 Hz. Speed / Output, Punching: up to ~ 16,000 punched sheets/hour (80 g paper), Binding (books): up to ~ 250 books/hour, Calendars: up to 180 calendars/hour	ASK
Photos	wiro-rhin-uff-hd-8000	Rhin-Uff	HD-8000			Wirobinding / Calender Production	8013011797	Wirobinding / Calender Production	ASK
Photos	wiro-Iberica-71	Iberica 71	71			Wirobinder	7906	Wirobinder	ASK
Photos	wiro-Wire-O-Punching-AP	Wirebind International				Wire-O-Punching Machine		Wire-O-Punching Machine	ASK
Photos	wiro-ONYX-OD4012	ONYX	OD4012			Wire-O-Punching Machine	1AC 1522	Wirobinding / Calender Production	ASK
Digital Printers									

Photos	digital-printer-IMAX	I-MAX		2020		3D UV Printer	8090t30	I-Max 3D UV Printer, 60x90cm Printable Area, Printable On All Surfaces Flat Or Round On Any Materials: Paper, Wood, Glas, Metal, Tiles, Stone, Rigid PVC Board, Organic Board, Plastic, Leather, Rubber, Special Paper, Porcela, Cancas etc., Print On Object Thickness Upto 15cm, 3 SQM Per Hour (4 Pass), Print On Almost Every Materials, Less Maintainess Cost, Low Ink Consumption Cost, Max. Printing Resolution: 2880 dpi * 1440 dpi, Water Cycling Cooling System, CISS Built Inside Ink System, Automatic Height Adjustment With Sensor, Equipped With Vacumm Suction System, Image Format: Tiff, Bmp, Jpg, Eps, Pdf, CAD, Rip Software: Maintop, Photoprint. Ref-NO.: digital-printer-IMAX	ASK
Photos	dig-Ricoh-Pro-C900	Ricoh	Pro C900		30x42	Digital Printers		Color Digital Press with High Capacity Tray and Finisher Unit, Fiery Rip, Format: 30x42, Standard Accessories	ASK
Photos	dig-prin-Xerox-DocuColor-5000	Xerox	DocuColor 5000	2004		Digital Printers	01965/POSTEL/2004	Product Identifier: FVB-1, 2400 dpi, Fiery EXP50 RIP, Speed: 50 Pages/Minute, Resolution: 600x600 dpi, Paper Capacity: Dual 2000 Sheet Paper Drawer	ASK
<u>UV Surface Coater</u>									
<u>Diverses</u>									
<u>Banding/Strapping Machines:</u>									
Photos	ban-Akebono-30130	Akebono	OB-301	2000		Banding Machine	3013065	Banding Machine	ASK
Photos	ban-Akebono-96-4854	Akebono	OB 300	1998		Banding Machine	96-4854	Banding Machine	ASK
Photos	ban-Akebono-03-3327	Akebono	OB-301	2000		Banding Machine	3013327	Banding Machine	ASK
Photos	ban-Compac-Tippy	Compac Tippy	Pack auto			Banding Machine		Banding Machine	ASK
Photos	ban-Lilie-00071	Lilie				Banding Machine	00071	Banding Machine	ASK
Photos	ban-Compac-J240	Compac	J240-30			Banding Machine	941192	Banding Machine	ASK
Photos	strap-Schneider-5301-2007	Schneider OZGA OHG	S 2003 L	2007		Strapping Machine	5301	High-end in-line strapping machine SO 2003.1L for bundles of newspapers, magazines and commercial printers strap capacity up to 40 single straps per minute bundle size L x W x H max. 510 x 560 x 400 mm designs for 5, 6,35 or 7 mm strap easy cleaning because of doors at all four sides double press frame (Alum) double stop bars minimal maintenance energy saving, standby function able to combine with all other machines to form a strapping line	ASK
Photos	strap-Schneider-5302-2007	Schneider OZGA OHG	S0 2004 Q	2007		Strapping Machine	5302	High-end cross strapping machine SO 2004.1Q for bundles of newspapers, magazines and commercial printers strap capacity up to 40 single straps and 20 parallel straps per minute bundle size W x H max. 580 x 400 mm designs for 5, 6,35 or 7 mm strap double press frame (Alum) double stop bars minimal maintenance energy saving, standby function able to combine with all other machines to form a strapping line	ASK
Photos	strap-Sato-1050-2H-28	Sato	1050-2H-28			Strapping Machine	47013498	Strapping Machine	ASK
Photos	strap-Signode-KRS-60-60-Yi	Signode	KRS 60/60	1985		Strapping Machine	65370		ASK
<u>Board Cutters:</u>									
Photos	bo-cut-Karl-Tränklein-ES	Karl Tränklein				Board Cutter		Board Cutter	ASK
Photos	bo-cut-Robust	Robust			125	Board Cutter		Board Cutter	ASK
<u>Book Block Rounder</u>									
Photos	bk-bl-rou-Fomm-57	Fomm				Book Block Rounder	40057	Book Block Rounder	ASK
Photos	bk-bl-rou-Karl-Tränklein	Karl Tränklein				Book Block Rounder		Book Block Rounder	ASK
<u>Book Back Lining Machines</u>									

Photos	more-Matador-Perfekt-11B-9910	Matador	Perfekt 11B	ca. 1988		Book Back lining machine	9910	Book Back lining machine, one-sided lamination with De-curling device for perfect lie-flat sheets	ASK
Photos	more-Matador-Perfekt-11B-DE-24	Matador	Perfekt 11B			Book Back lining machine		Book Back Lining Machine, One-Sided Lamination With De-Curling Device For Perfect Lie-Flat Sheets / Tool For Adhesive Tape For Writing Pad Or Books	ASK
Photos	bbim-Multiplex-RAS-40-Super	Multiplex	RAS 40 Super		45x75	Fälzelmaschine, Book Back Lining Machine	506	Fälzelmaschine, Book Back Lining Machine	ASK
Book Production									
Book Block Production									
Photos	Book-Block-Pr-Hunkeler-Bret	Hunkeler	BRET 100			Book Block Production	4876-2	Book Block Production	ASK
Photos	Book-Block-Pr-Kolbus-FE-373	Kolbus	FE	1975		Book Block Production	373	Pressing and Grooving Machine	ASK
Photos	Book-Block-Pr-Kolbus-FN	Kolbus	FN 400 (Nipping Machine)	1974		Book Block Production	105	Nipping Machine, Smashing Book Blocks for Hard Cover Book Production	ASK
Photos	Book-Block-Pr-Kolbus-356	Kolbus	HL 70	1972	28x40	Book Block Production	356	Head & Tail Banding Machine with Gauzing Stations, Cold Glue Applicator, Standard Accessories	ASK
Photos	Book-Block-Pr-Kolbus-RC	Kolbus	RC	1972		Book Block Production	151	Back Gluing and Drying Machine	ASK
Photos	Book-Block-Pr-Kolbus-HL-70-296	Kolbus	HL 70	1970	28x40	Book Block Production	296	Head & Tail Banding Machine with Gauzing Stations, Cold Glue Applicator, Standard Accessories	ASK
Photos	Book-Block-Pr-Kolbus-AR	Kolbus	AR (Auto Rounder)	1965		Book Block Production	65	18 to 36 books per minute. Motor power 2.2 kW. Size range min. 65 x 100 x 6 mm. max. 325 x 265 x 75. Total length 2750 mm. Total width 2100 mm. Total height 1600 mm. Weight approx. 4000 kg.	ASK
Photos	Book-Block-Pr-Sigloch-BSD-60	Sigloch	BSD-60	2007		Book Block Production	07-345	Book Block Production	ASK
Book Inserting Machines/Casing-In Machines									
Photos	cas-in-kolbus-BF-526	Kolbus	BF 526 with FE 603	2002	280x375x80	Casing-In-Machine		Casing-in Line, 60 cycle ph fully automatic casing in line with gauzing, Comprising: Belt infeed to Kolbus Compact 526 Casing-in element, Co-Pilot computerised set-up and memory with colour monitors Star-wheel infeed to pre-heating element to, AR rounding and backing element with various size rounding irons to, HL backlining section - 1st hot gluing with gauzing/lining station, 2nd hot gluing with paper lining & head & tail banding Brd hot gluing with 2nd paper lining & head & tail banding, EMP casing-in element with integral DBA case bending unit in case feeder, heated former for cases, various formers for size changing 2nd Case feeder for thin or vinyl cases, Delivery belt to:- Kolbus FE 603 - pressing and building-in machine with star-wheel infeed 6 stations of whole surface smashing and heated joint forming, Belt delivery to; Book stacking device. Including accessories, tools & manuals, Book block format, Max: 280x375x80 mm, 285x375x40 mm 300x375x30 mm, 305x370x30 mm, Min: 100 x 100 x 2 mm, Mechanical speed: 60 cycles/min.	ASK
Photos	cas-in-kolbus-EMP-36	Kolbus	EMP 36		32x40	Casing-In-Machine		Casing-In-Machine, Machine For Hanging The Block In The Cover, 36 Cycles/Min, Complete With All Standard Accessories	ASK

Photos	cas-in-kolbus-EMP-CRu	Kolbus	EMP 36		32x40	Casing-In-Machine	542	Casing-In-Machine, Machine For Hanging The Block In The Cover, 36 Cycles/Min, Complete With All Standard Accessories	ASK
Photos	diff-Schmedt-Präleg-1815-2003	Schmedt	Präleg 1815	2003		Casing-In-Machine	681	Block Height: 80-340mm, Block Width: 110-450mm, Block Thickness: 2-80mm, Capacity: 200-300 Pcs/h)	ASK
Photos	more-prakma-2	Prakma	EH/1		38	Manual Casing-In Machine	156111	Manual Casing-In Machine, Size: max 370 x 280 mm, Size: min 100 x 80 mm, Product thickness: max 90 mm, Product thickness: min 2 mm, Speed: max 900 c/h	ASK
Photos	more-prakma-EH-1kon	Prakma	EH/1		38	Manual Casing-In Machine		Manual Casing-In Machine, Size: max 370 x 280 mm, Size: min 100 x 80 mm, Product thickness: max 90 mm, Product thickness: min 2 mm, Speed: max 900 c/h	ASK
Photos	more-prakma-EH-1-s	Prakma	EH/1		38	Manual Casing-In Machine		Manual Casing-In Machine, Size: max 370 x 280 mm, Size: min 100 x 80 mm, Product thickness: max 90 mm, Product thickness: min 2 mm, Speed: max 900 c/h	ASK
Book Press									
Photos	book-Press-DE-2424	Book Press				Book Press		Book Press	ASK
Photos	book-Press-3	Hunkeler	P.D.E. 001 R.	2005	32x45	Book Press	4226-7	Book Press	ASK
Photos	book-Press-Hunkeler-ADP-4944-1	Hunkeler	ADP 50/70			Book Press	4944-1	Book Press	ASK
Photos	book-Press-HunkelerADP32-44	Hunkeler	ADP 32/44		450x300mm	Book Press	2440-7	Hydraulic Book Press, Format: 450x300mm, Stacking Height: 350mm, Rollable, Mechanical Drive	ASK
Photos	book-Press-Karl-Tränklein-ZP-39	Karl Tränklein	ZP 39	1979		Book Press	1051	Book Press	ASK
Photos	book-press-52781	Karl Krause Leipzig				Book Press	52781	Book Press	ASK
Photos	book-Press-Multiple-Polygraph	Polygraph	K14K	ca. 1974		Book Press	74-025	Multiple Book Pressing Machine	ASK
Photos	book-Press-Schimanek-UB-Bonn-2	Schimanek	UB Bonn			Book Press		Book Press	ASK
Photos	book-Press-Schimanek-UB-Bonn	Schimanek	UB Bonn			Book Press		Book Press	ASK
Photos	book-pr-Sperr-Lechner-1657	Sperr & Lechner	Splek SLIIA-100	1996		Book Press	1657	Twin Book Press, Bar Max. 70, Delivery Volume: 8,5 l/min, Power Requirement: 3 KW, Rotation/Minute: 1400, Pressure: 3,000kp	ASK
Photos	book-pr-Splek-SL-82B	Sperr & Lechner	Splek SL 82B			Book Press	564	Twin Book Press, Bar Max. 70, Delivery Volume: 8,5 l/min, Power Requirement: 3 KW, Rotation/Minute: 1400, Pressure: 3,000kp	ASK
Photos	book-Pr-Tecno-Meccanica	Tecno Meccanica	Book Press			Book Press		Book Press	ASK
Photos	book-pr-Twin-Book-Press-NN	Twin Book Press				Twin Book Press		Twin Book Press	ASK
Photos	book-pr-Twin-Book-Press-CR	Twin Book Press				Twin Book Press		Twin Book Press	ASK
Photos	book-pr-Twin-Book-Press-2	Twin Book Press				Twin Book Press		Twin Book Press	ASK
Photos	book-pr-Zasadnicza-PIS-St-1975	Zasadnicza Szkota Zawodowa	PIS-St	1975		Book Press	478	Weight: 300KG	ASK
Bundling Press									
Photos	bundl-CR-Bundling	Bundling Press				Bundling Press		Bundling Press/Book Press	ASK
Photos	bundl-Press-AK-1	Bundling Press				Bundling Press		Bundling Press/Book Press	ASK
Photos	bundl-Press-AK-2	Bundling Press				Bundling Press		Bundling Press/Book Press	ASK
Photos	bundl-Tränklein-B.P.	Tränklein	B.P.		700mm	Bundling Press	462653	Bundle Press For Folding Sheets, Stacking Length: 700mm, Stable Design, Hydraulic, Rollable	ASK
Photos	bundl-ZentragHBP	Zentrag	HBP	1979	800mm	Bundling Press		Bundle Press For Folding Sheets, Stacking Length: 800mm	ASK

Case Makers:									
Photos	case-maker-Nuova-Smyth	Nuova Smyth Boarder	CM	1997		Case Maker	908 R	Case Maker	ASK
Photos	case-maker-WegraBD15	Polygraph	Wegra BD 15	1984	53x40	Case Maker	1057/1984	Hand Feeding Covering Material, Hand Feeding Hard Spine Insert, Automatic Cardboard Feeding, Automatic Soft Spine Insert Feeding From Roll, Hot Glue, Format: Max. 530x400mm, Min. 110x155mm, Speed: Max. 15 Cycles/Min.	ASK
Photos	case-maker-BD-15-1074	Polygraph	Wegra BD 15	1974	53x40	Case Maker	1074	Hand Feeding Covering Material, Hand Feeding Hard Spine Insert, Automatic Cardboard Feeding, Automatic Soft Spine Insert Feeding From Roll, Hot Glue, Format: Max. 530x400mm, Min. 110x155mm, Speed: Max. 15 Cycles/Min.	ASK
Accessories Case Maker									
Colour Pumps									
Photos	more-bvs-211398	BVS	BCP-108-R	1998		Colour Pumps	211398	5 Bar, Colour Pump	ASK
Photos	more-bvs-298022	BVS	BCP-1010RB	1998		Colour Pumps	298022	5 Bar, Colour Pump	ASK
Compressor									
Photos	more-ABAC-Compressor	ABAC	200 Hp4	2013		Compressor		Compressor	ASK
Photos	comp-Agre-B 2800-LN	Agre	B 2800-LN-T 2	2008		Compressor	4116007175	Compressor	ASK
Photos	comp-Airstar-AC-503-100	Airstar	AC 503/100	2016		Compressor	AS5316039	Maximum volume flow: 500 Ltr., contents: 100 Ltr., maximum speed: 1310 U/min, 10 Bar	ASK
Photos	comp-Atlas-Copco-GX11FF	Atlas Copco	GX11FF	2002		Compressor	AI623357	Max. Working Pressure: 7,25 Bar, Free Air Delivery: 26,6 l/s, Nominal Shaft Power: 11 KW. Rotational Shaft Speed: 3000	ASK
Photos	comp-Atlas-Copco-Automan-AP4	Atlas Copco	Automan AP4			Compressor			ASK
Photos	comp-AWP-Kol-250-OS	AWP	Kol 250 OS	1976	10 Bar	Compressor	159721	Compressor	ASK
Photos	comp-Becker-KDT-2803543	Becker	KDT 3.140/0-470	2014		Compressor	D 2803543	Frequency: 30-50 Hz, Speed: 1450 min, Power Required: 7,5 kW, Inlet Capacity 129 m³/h, Pressure: 1500 mbar	ASK
Photos	comp-Becker-KDT-2301181	Becker	KDT 3.140/0-470	2011		Compressor	D 2301181	Frequency: 30-50 Hz, Speed: 1450 min, Power Required: 7,5 kW, Inlet Capacity 129 m³/h, Pressure: 1500 mbar	ASK
Photos	comp-Becker-KDT-2240954	Becker	KDT 3.140/0-470	2007		Compressor	D 2240954	Frequency: 30-50 Hz, Speed: 1450 min, Power Required: 7,5 kW, Inlet Capacity 129 m³/h, Pressure: 1500 mbar	ASK
Photos	comp-Becker-3-25-1073719	Becker	3. 25	1989		Compressor	D 1073719	Speed: 1420 min, Capacity: 2.5m³/h, Inlet Pressure: 850 mbar	ASK
Photos	comp-Becker-SV-991080	Becker	SV 5.90/5	1987		Compressor	5 991080	Speed: 2800 min, Capacity: 45 m³/h, Inlet Pressure: 90 mbar, Discharge Press: 110 mbar	ASK
Photos	comp-Boge-C9	Boge	C9			Compressor		Compressor	ASK
Photos	more-Ecoair-D20-10	Ecoair	D20-10	1991	23093 h	Screw Compressor	901065136	1, 95 M3/min, 10 bar, 3000 1/min, Schrauben -Kompressor / Screw Compressor for Central Air Supply	ASK
Photos	comp-Fical ATI-EP-B-11260	Fical	ATI-EP-B-M00305-05	2015		Compressor	11260	Compressor	ASK
Photos	comp-Inaircom-Start	Inaircom	Start 190-08-50M	2019	8 Bar	Compressor	CJK2021907656	Compressor	ASK
Photos	comp-Kaeser-SK-22-2018	Kaeser	SK 22	2018		Compressor	2643	Aircenter SK 22, 21 Bar	ASK
Photos	comp-Kaeser-SXC-4-2011	Kaeser	SXC 4	2011		Compressor	1001	Compressor	ASK
Photos	comp-Kaeser-KCT-1069	Kaeser	KCT 401-TAH6-100	2010		Compressor	1069	Artikel Number: 1.6016.00010, 10 Bar, 2741 L/Min (6,0 Bar)	ASK
Photos	comp-Kaeser-TA-11-2007-16	Kaeser	TA 11	2007		Compressor	1.790.350.010	Compressor	ASK
Photos	comp-Kaeser-Eco-Silent	Kaeser	Eco Silent W	2000	10 Bar	Compressor	1.316.920.020	Compressor	ASK
Photos	comp-Kaeser-DE-13	Kaeser				Compressor		Compressor	ASK
Photos	comp-komnino-ZS-400	Komnino	ZS-400			Compressor	3196	Compressor	ASK
Photos	comp-kronwald	Kronwald		1991		Compressor	56870	Capacity: 11 Bar, 500l	ASK

Photos	comp-mark-msa-15D	Mark	MSA 15 500DG2	2010		Compressor	CAI1452423	Product No. 4152007214, Compressor: 15 Kw 3Ph, Max. Pressure: 8 Bar, Dryer: 0,385 Kw 1 Ph, Refrigerant Type: R134A	ASK
Photos	comp-OMA-LT24-HP-2001	OMA	LT24 HP 1.5	2001	8 Bar	Compressor	1023	1,1 KW, 24 Liter Air Tank	ASK
Photos	comp-Orlik-Kompresory	Orlik-Kompresory		2000		Compressor		Compressor	ASK
Photos	more-Rubete-Junior-50R-1998	Rubete	Junior 50R	1998	12 Bar	Compressor	257T	50 Liter Air Tank	ASK
Photos	comp-Rietschle-CL-167864	Rietschle	CL 40 DV			Compressor	167864	Compressor	ASK
Photos	comp-Rietschle-1641133	Rietschle	CLFG 41V (01) 31.123.1401/01	1994		Compressor	1641133	Compressor	ASK
Photos	comp-Rietschle-SKGS-1655245	Rietschle	SKGS 200-2 (29)	1995		Compressor	1655245	Compressor	ASK
Photos	comp-Rietschle-1641135	Rietschle	CLFG 41V (01) 61.123.1401/01	1994		Compressor	1641135	Compressor	ASK
Photos	comp-Rietschle-1641130	Rietschle	CLFG 41V (01) 61.123.1401/01	1994		Compressor	1641130	Compressor	ASK
Photos	comp-Rietschle-TR-1304836	Rietschle	TR 81 DW (33)	1990		Compressor	1304836	Compressor	ASK
Photos	comp-Rietschle-SKK-33403-(05)	Rietschle	SKK 33403 (05)	1986		Compressor	991298	Compressor	ASK
Photos	comp-Rietschle-CLFG-41V	Rietschle	CLFG 41V (01)	1983		Compressor	763959	Compressor	ASK
Photos	comp-Rietschle-CLFT-619526	Rietschle	CLFT 41 DV.01	1980		Compressor	619526	Compressor	ASK
Photos	comp-siemens	Siemens				Compressor	599	Compressor	ASK
Photos	comp-steeb-06-4516	Steeb Werke, Sulz Neckar	06-4516	1986		Compressor	o07	12 Bar, 30 KW	ASK
Photos	comp-Step-VS1VO9	Step Trutnov	VS1VO9	2005		Compressor	5089	10 Bars	ASK
Photos	comp-Ultrafilter-FDS-0170-257	Ultrafilter	FDS-0170/257	1996		Compressor	96/10768/033	16/30 Bar	ASK
Photos	comp-VIG	VIG	M98150900-11-00/750	2000		Compressor	6157	Capacity: 11 Bar, 750L	ASK
Corner Cutters									
Photos	corn-cut-Beier-Hans-Opitz-&-Co.	Beier (Hans Opitz & Co.)				Corner Cutter		Corner Cutter	ASK
Photos	corn-cut-Rounder-UCR-9	Corner Rounder	UCR 9			Corner Cutter		Corner Cutter	ASK
Photos	corn-cut-kl-wß	Corner Cutter				Corner Cutter		Corner Cutter	ASK
Photos	corn-cut-GBC-1033-LA-HD00060	GBC	1033-LA			Corner Cutter	HD00060	1x Edge Points	ASK
Photos	corn-cut-GBC-1033-LA-1861334	GBC	1033-LA			Corner Cutter	1861334	1x Edge Points	ASK
Photos	corn-cut-Karl-Tränklein-EF	Karl Tränklein	EF			Corner Cutter		Electrical Corner Cutter	ASK
Photos	more-Karl-Krause-Leipzig	Karl Krause Leipzig				Corner Cutter	57954	Corner Cutter	ASK
Photos	more-Karl-Krause-Leipzig-192730	Karl Krause Leipzig				Corner Cutter	192730	Corner Cutter	ASK
Photos	corn-cut-MM-VBF-EKS-400-2000	Müller Martini	VBF EKS 400	2000		Corner Cutter	550 0043	Corner Cutter, Power Required: 3x400 / 230V 50/60 Hz, Largest Consumer: 3,4 A, Overcurrent Protection: 16A, Ounching Speed for Corners: 400mm	ASK
Photos	corn-cut-Polygraph-Y6R	Polygraph	Y6R			Corner Cutter	711071/059	Corner Cutter	ASK
Photos	corn-cut-Pesera-105	Pesera	105			Corner Cutter		Corner Cutter	ASK
Photos	more-Super-Pan-52	Super Pan	52			Corner Cutter	5561-1	Corner Cutter	ASK
Photos	corn-cut-Tränklein	Tränklein				Corner Cutter		Corner Cutter	ASK
Photos	corn-cut-Vicking	Vicking				Corner Cutter		Corner Cutter	ASK
Photos	corn-cut-Warrior-21144	Warrior				Corner Cutter	21144	Corner Cutter	ASK
Photos	corn-cut-Westel	Westel	Corner Cutter			Corner Cutter		Corner Cutter	ASK

Endsheet Tipping									
Photos	end-tipp-Collmatic-Aleksia	Collmatic	Aleksia		400x310	Endsheet Tipping Machine		Minimum Format: 100 x 150 mm, Maximum Size: 250 x 360 mm, Full Speed: 4.500 cycles/h, Power required: 2,5 KW	ASK
Photos	end-tipp-Kolbus-KB200	Kolbus	KB200	1970	400x310	Endsheet Tipping Machine	22/294	Serial No. 500, Endsheets Tipping Machine, Size: Max. 400x310mm, Min. 100x70mm, Mechanical Speed: 6.600 Cycles/Hour	ASK
Endsheet Gluing									
Forklift									
Photos	fork-25F-RCF-A06	Ascade	25F-RCF-A06	2002		Reel Clamp for fork lift	794709-A-260265-1	Reel Clamp for fork lift, Capacity: 1200, Weight: 355 kg, Max. 160 Bar, Operating pressure (Arbeitsdruck): 140 bar, Centre of Gravity (Eigenschwerpunkt): 220 mm, At Load Centre (bei Lastschwerpunkt): 650 mm	ASK
Photos	fork-BT-Staxio-HWE-100-2015	BT Staxio	HWE100	2015		Electric Lift Truck	6351110	Capacity: 1000 KG, 2x12V Batterie	ASK
Photos	fork-Desta-MV12BA-1995	Desta	MV12BA	1995		Diesel Forklift	6654	Diesel Forklift, Capacity: 1250 KG	ASK
Photos	fork-ETN-782428	ETN	782428			Reel Clamp for fork lift		Reel Clamp for fork lift	ASK
Photos	fork-Mitsubishi-2007-FB15	Mitsubishi	FB15KRT	2007		Electric Forklift	EFB10 50861	Capacity: 1500 KG	ASK
Photos	fork-Mitsubishi-SBP12	Mitsubishi	SBP12N2	2013		Electric Lift Truck	50099	Capacity: 1200 KG	ASK
Photos	fork-MKF-KSL-160	MKF	CKSL 160	1994		Forklift	1102/6	16 Ton Forklift	ASK
Photos	more-Nissan	Nissan	Electric Forklift			Electric Forklift		Electric Forklift	ASK
Photos	fork-OMG-715-K	OMG	715 K	2000		Electric High Lift Truck	12581	Capacity: 1500 KG, Weight: 1250 KG, Triplex	ASK
Photos	fork-Jung-1T2012	Jungheinrich	1T458	2012		Electric Forklift	563708	With Reel Clamp	ASK
Photos	fork-jung-clamp-nw	Jungheinrich	EFG 218	2015		Electric Forklift		With Reel Clamp	ASK
Photos	fork-Jung-EMC-110	Jungheinrich	EMC 110	2015		Electric Lift Truck	90486271	Electric Lift Truck	ASK
Photos	fork-Jung-EJE-2010-880	Jungheinrich	EJE 220	2010		Electric Lift Truck	98015880	Capacity: 2000 KG, Load Center Distance: 600 mm, Nominal Power: 1,6 kW	ASK
Photos	fork-Jung-EJE-220-80	Jungheinrich	EJE 220			Electric Lift Truck		Capacity: 2000 KG, Load Center Distance: 600 mm, Nominal Power: 1,6 kW	ASK
Photos	fork-Jung-EJE-120	Jungheinrich	EJE 120			Electric Lift Truck		Capacity: 2000 KG, With Password System, Nominal Power: 1,6 kW	ASK
Photos	fork-Jungheinrich-41984	Jungheinrich	EJE 120			Electric Lift Truck	41984	Capacity: 2000 KG, Nominal Power: 1,6 kW	ASK
Photos	fork-jungheinrich-15057	Jungheinrich	EJE 116			Electric Lift Truck	15057	Capacity: 2000 KG, With Password System, Nominal Power: 1,6 kW	ASK
Photos	fork-Jungheinrich-41985	Jungheinrich				Electric Lift Truck	41985	Capacity: 2000 KG, Nominal Power: 1,6 kW	ASK
Photos	fork-Jungheinrich-41978	Jungheinrich				Electric Lift Truck	41978	Capacity: 2000 KG, Nominal Power: 1,6 kW	ASK
Photos	more-Steinbock-2015	Steinbock	Boss LE 16-55 MP MK VII	1997		Electric Forklift	226663	Capacity: 1200 KG	ASK
Photos	more-Steinbock-126888	Steinbock	Boss LE16 MK IV A-1	1992		Electric Forklift	126888	Tyres: SE, Lifting Height: 3300 mm, Capacity: 1600 KG, Side Shifting	ASK
Photos	fork-still-RX-20-18-2010	Still	RX 20-18	2010		Electric Forklift	516213A00198	Capacity: 1800 KG	ASK
Photos	fork-still-RX-20-16-2011	Still	RX 20-16	2011		Electric Forklift	516211B00951	Capacity: 1600 KG	ASK
Photos	fork-still-RX-20-16-2012	Still	RX 20-16	2012		Electric Forklift	516211C00154	Capacity: 1600 KG	ASK
Photos	fork-still-R-60-40-2002	Still	R 60-40	2002		Electric Forklift	O516027004796	Capacity: 4000 KG	ASK
Photos	fork-still-R-60-40-2006	Still	R 60-40	2006		Electric Forklift	O516047003037	Capacity: 4000 KG	ASK
Photos	fork-Still-R70-16T-517077000937	Still	R70-16T	2000		Forklift	5,17077E+11	LPG, Capacity: 1600 KG	ASK
Photos	fork-STILL-RX-60-25	Still	RX 60-25	2011		Forklift	516321B00342	Electric Lifter, Capacity: 2500 Kg	ASK
Photos	fork-STILL-RX-60-25-2011	Still	RX 60-25	2011		Forklift	516321B00342	With Reel Clamp	ASK
Photos	fork-STILL-RX-20-20	Still	RX 20-20	2014		Forklift	516215E00823	Electric Lifter, Capacity: 2000 Kg	ASK

Photos	fork-Still-EXV12-710	Still	EXV12	2011		Electric Lift Truck	710253B03131	Capacity: 1200 KG, Battery Voltage: 24 V, Rated Drive Power: 1,20 kW	ASK
Photos	fork-Still-EGP-14	Still	EGP 14	2008		Electric Lift Truck	3,30E+11	Capacity: 1400 KG	ASK
Photos	fork-Still-EGU-20-2003	Still Wagner	EGU 20	2003		Electric Lift Truck	7,10E+11	Capacity: 2000 KG	ASK
Photos	fork-Still-EGU-0210	Still	EGU 20	2003		Electric Lift Truck	7,10E+11	Capacity: 2000 KG	ASK
Photos	fork-Still-R60-35	Still	R60-35	1998		Electro Forklift	O516026001611	Electric, 3500 KG Capacity, Lifting Height: 3,4m, Overhead guard height: 2,3m, fork 1,4m	ASK
Photos	fork-Still-ecotron-xm-24v-30a	Still	ecotron XM E 24V-30A			Forklift Battery	376811409317032	Forklift Battery	ASK
Photos	fork-Still-ecotron-xm-24v-40a	Still	ecotron XM E 24V-40A	2018		Forklift Battery	6,27E+11	Forklift Battery	ASK
Photos	fork-TCM-FG18T13-2007	TCM	FG18T13	2007		Forklift	OA700807	Mast: VFHM 435-0A7, Integral Sideshift, 1000mm Forks, Black Solid Tyres, LPG, Power: 25 KW, Own Weight: 2780 KG, Capacity: 1750 KG	ASK
Photos	fork-Toyota-2016	Toyota	02-8FGF18	2016		Forklift	8FGF18-061383	Electric Lifter, Capacity: 1500 KG	ASK
Photos	fork-Toyota-electric-lifter	Toyota	7FBEF15	2005	FSV E911	Forklift	7FBEF15 12301	Electric Lifter, Capacity: 1500 KG	ASK
<u>Gluing Machines:</u>									
Photos	glu-Gluing-AL-CE	AL-CE	Gluing Machine			Anleimmaschine / Kaschiermaschine	8053	Anleimmaschine / Kaschiermaschine	ASK
Photos	glu-Cappelletti	Cappelletti				Gluing Machine		Gluing Machine	ASK
Photos	Glu-Machine	Gluing Machine	Gluing Machine			Gluing Machine		Gluing Machine	ASK
Photos	glu-Gluing-PL	Gluing Machine				Gluing Machine			ASK
Photos	glu-Gluing-Machine-New	Gluing Machine				Gluing Machine		Gluing Machine	ASK
Photos	glu-Karl Tränklein	Karl Tränklein				Gluing Machine		Gluing Machine	ASK
Photos	glu-Müro-New	Müro				Gluing Machine		Gluing Machine	ASK
Photos	glu-jagenberg-Yi	Jagenberg	Gluing Machine			Gluing Machine	1030289	Auto-Suction Feeding Unit, Hot Glue Device, Belt Delivery	ASK
Photos	glu-jagenberg-60031-Yi	Jagenberg				Gluing Machine	60031/17AL		ASK
Photos	glu-Jagenberg-2Mö	Jagenberg				Gluing Machine	6768/26AE		ASK
Photos	glu-jagenberg-6384-58	Jagenberg				Gluing Machine	6384/58 AD	Gluing Machine	ASK
Photos	glu-prakma-178109	Prakma				Anleimmaschine / Kaschiermaschine	178109	Anleimmaschine / Kaschiermaschine	ASK
Photos	glu-sumbel-NN	Sumbel	Regent		800mm	Gluing Machine	121321/04	Gluing Machine	ASK
Photos	glu-Tünkers / JagenbergUAM800	Tünkers / Jagenberg	UAM 800		800mm	Gluing Machine		Gluing Machine, Format: 800mm, Cold Glue Device, Feeding Table, Belt Delivery	ASK
<u>Index cutting Machine</u>									
<u>Joint Forming /Nipping Machine</u>									
Photos	joint-form-RAEL-Rolong	Gantenbein	RAEL Rolong	1971	500mm	Rückenreibemaschine/Book Back Rubbing Maschine		This Back Rubbing Machine Is Used To Press Glued Material With Its Carrier Material, It Offers Unlimited Possibilities Of Use In Cardboard Processing, Book Making, Etc., Binding Width: 500 mm, Binding Thickness; 70 mm	ASK
Photos	joint-form-RAEL-1969	Gantenbein	RAEL Rolong	1969	500mm	Rückenreibemaschine/Book Back Rubbing Maschine	O812	This Back Rubbing Machine Is Used To Press Glued Material With Its Carrier Material, It Offers Unlimited Possibilities Of Use In Cardboard Processing, Book Making, Etc., Binding Width: 500 mm, Binding Thickness; 70 mm	ASK

Photos	joint-form-RAEL-1969-2	Gantenbein	RAEL Rolong	1962	500mm	Rückenreibemaschine/Book Back Rubbing Maschine	O307	This Back Rubbing Machine Is Used To Press Glued Material With Its Carrier Material, It Offers Unlimited Possibilities Of Use In Cardboard Processing, Book Making, Etc., Binding Width: 500 mm, Binding Thickness; 70 mm	ASK
Photos	joining-forming-Krause	Krause	FN 3 P			Book Press with Joint Forming	316889	Joint Forming / Nipping Machine	ASK
Photos	diff-schmedt-präform-2100	Schmedt	Präform 2100	2003		Book Press with Joint Forming	113	Format: 400x520x100mm, Book Height: upto 520mm, Book Width: 120-445mm, Book thickness: 8-100mm, Capacity: ca. 150 Pieces/hour	ASK
Photos	joint-form-Sealmaster-580	Sealmaster	580, AE 580.SA			Joint Forming	930.408.177	Joint Forming	ASK
<u>Knife Sharpener</u>									
<u>Label Applicator</u>									
<u>Lamination Machine</u>									
Photos	lam-Biedermann-RollLam-140WN	Biedermann	RollLam 140WN	2011	140	Lamination Machine	140WN.438.10	Roller Width: 150cm, Thermo Laminator, Heating of Silicon Roller ca. 30°C up to 60°C Possible, Max. Board Thickness: 25mm, Diameter of Rollers: 112mm, Capacity: Max Speed: 3,5 m/min.	ASK
Photos	lam-GBC-Voyager-3	GBC	Voyager 3	2004	76x102	Lamination Machine	1204	Automatic Gremser Pallet Feeder S80x120 AO/BTH, Automatic Sheet Separator with Electronic Lap Control, Deep Pile Delivery, Table Delivery Size: Max. 76x102cm, Min. 30,5x30,5, Max. Speed up To: 10.000 Sheets/Hour, Feeder Capacity: 880 KG, Dry Lamination Unit, Separating Unit, Paper Weight: 150-350 gr/m2, Speed Max. 30 M/Min (Production 20-25 M/Min), Standard Accessories	ASK
Photos	lam-GBC-400	GBC	400			Thermo Lamination Machine		Thermo Lamination Machine	ASK
Photos	lam-GBC-DocuSeal-30	GBC	DocuSeal 30			Thermo Lamination Machine		Thermo Lamination Machine	ASK
Photos	lam-Foliant-ES	Foliant	Castor 530 SF	2012	52X72	Thermo Lamination Machine		Thermo Lamination Machine	ASK
Photos	lam-Thermo-Lamination-Machine	Lamination Machine				Thermo Lamination Machine		Thermo Lamination Machine	ASK
Photos	lam-Lamination-mx6	MX6				Lamination Machine		Lamination Machine	ASK
Photos	lam-Peach-Lamination-SKY-330R8	Peach Lamination	SKY 330R8			Lamination Machine	O9EK8R009	Lamination Machine	ASK
Photos	lam-Seal-Laminator-Image-60S	Seal Laminator	Image 60S			Lamination Machine		Lamination Machine	ASK
<u>Pallet Wrapping Machine</u>									
Photos	pall-wrapp-Cyklop-GL-215	Cyklop	GL 215	2006		Palletenwickler / Pallet Wrapping Machine	O60292	Palletenwickler / Pallet Wrapping Machine	ASK
Photos	more-Siat-AF1-CF2	Siat	AF1.CF2	1988		Palletenwickler / Pallet Wrapping Machine		Serial 786, Palletenwickler / Pallet Wrapping Machine	ASK
Photos	pall-wrapp-Siat-SW2-16-FM-4CF-2012	Siat	SW2 16-FM-4CF+	2012		Palletenwickler / Pallet Wrapping Machine	51782	Palletenwickler / Pallet Wrapping Machine	ASK
Photos	more-Siat-muh-de	Siat				Palletenwickler / Pallet Wrapping Machine		Palletenwickler / Pallet Wrapping Machine	ASK
<u>Paper Drilling/Eyelleting Machines:</u>									

Photos	dril-AEG-Drill-Machine	AEG	DT-10			Drill Machine	87155726	Drilling machine	ASK
Photos	drill-Bauknecht	Bauknecht				Drill Machine		Paper Drilling Machine	ASK
Photos	dril-Citoborma-270B	Citoborma	270B			Drill Machine		Paper Drilling Machine	ASK
Photos	dril-Citoborma-270B-DE-13	Citoborma	270B			Drill Machine		Paper Drilling Machine	ASK
Photos	dril-Droi-MTPP	Droi	MTPP			Drill Machine	304	Paper Drilling Machine	ASK
Photos	dril-Drill-Machine-AP	Drill Machine				Drill Machine		Paper Drilling Machine	ASK
Photos	dril-Dürselen-Corta-PB04-N	Dürselen	Corta PB04 N	2005		Drill Machine	PB0403.05/1304N	4 Heads, Drill Bit Cooling and Lubrication, Continuously Variable Stroke and Spindle Speed Control, Dürselen Drill Belt for Drilling Support	ASK
Photos	dril-Dürselen-Corta-PB01-STM	Dürselen	Corta PB01. STM	1996		Drill Machine	PB01.02.96/483.S TM	4 Head Paper Drill Machine	ASK
Photos	dril-Dürselen-PB-04	Dürselen	PB 04	1993		Drill Machine	PB04.04.93.142	4 Head Paper Drill Machine	ASK
Photos	drill-DVS-120	DVS	120			Drill Machine		2 Head Paper Drilling Machine	ASK
Photos	dril-Georgii-Kobold-KS0122-S215	Georgii-Kobold	KS0122 S215			Drill Machine	105662	Drilling machine	ASK
Photos	dril-Hang-136DK-72184	Hang	136 DK			Drill Machine	72184	2 Head Paper Drilling Machine	ASK
Photos	dril-Hang-136D-71711	Hang	136D			Drill Machine	71711	2 Head Paper Drilling Machine	ASK
Photos	dril-Hang-136D-70349	Hang	136D			Drill Machine	70349	2 Head Paper Drilling Machine	ASK
Photos	dril-Hang-136D-22089	Hang	136D			Drill Machine	22089	2 Head Paper Drilling Machine	ASK
Photos	dril-Hang-136D-18289	Hang	136D			Drill Machine	18289	2 Head Paper Drilling Machine	ASK
Photos	dril-Hang-136-17233	Hang	136			Drill Machine	17233	1 Head Paper Drilling Machine	ASK
Photos	dril-Hang-106DTK-4	Hang	106DTK4			Drill Machine	92649	4 Heads Paper Drilling Machine	ASK
Photos	dril-Hang-106DTK	Hang	106DTK			Drill Machine	91545	2 Heads Paper Drilling Machine	ASK
Photos	drill-hang106-DTK4-D-N	Hang	106 DTK4	ca. 1995		Drill Machine		4 Heads Paper Drilling Machine with Automatic Table Lift, Approx. 35cm Drilling Depth, Drill Heads Approx. 50cm Adjustable to Each Other Tab	ASK
Photos	drill-hang106DTK4	Hang	106 DTK4	ca. 1993		Drill Machine	92203	4 Heads Paper Drilling Machine with Automatic Table Lift, Approx. 35cm Drilling Depth, Drill Heads Approx. 50cm Adjustable to Each Other Tab	ASK
Photos	dril-Hang-106-DTK4-90813	Hang	106 DTK4			Drill Machine	90813	4 Heads Paper Drilling Machine	ASK
Photos	drill-Hans-Maisel-2-Head	Hans Maisel				Drill Machine		2 Head Drilling Machine	ASK
Photos	dril-Modena-Venus-2-1983	Modena	Venus 2	1983		Drill Machine		2 Heads Paper Drilling Machine	ASK
Photos	dril-Nagel-Citoborma-480-AB-Ge	Nagel	Citoborma 480 AB			Drill Machine	883270	4 Head Drill Machine	ASK
Photos	dril-Nagel-Citoborma-280	Nagel	Citoborma 280			Drill Machine		Drilling machine	ASK
Photos	dril-Nagel-Citoborma-280b	Nagel	Citoborma 280b			Drill Machine		Drilling machine	ASK
Photos	dril-Nagel-Citoborma-280-B-DE-24	Nagel	Citoborma 280 B			Drill Machine		2 Head Drill Machine	ASK
Photos	drill-Nagel-Citoborma-KOD-524S-129	Nagel	Citoborma KOD 524S 129			Drill Machine		1 Head Paper Drilling Machine	ASK

Photos	drill-Proma-PTB16B-230	Proma	PTB16B/230	2009		Drill Machine	B2009/0931	Total Height: 1,065mm, Head Handle: 1-16mm, 12 Stages of Speed Adjustment, Maximum Distance Of The Spindle From The Base: 600mm, Maximum Distance Of The Spindle From The Table: 350mm, Maximum Drilling Diameter: 20mm, Spindle Feed: 80mm, Table Size: 300 x 300mm, Base Dimensions: 500 x 285mm, Spindle Reach (Distance From The Spindle To The Column): 195mm, Speed Range: 180 / 250, 300 / 400, 480 / 580, 970 / 1,280, 1,410 / 1,540, 2,270 / 2,740 rpm., Column Diameter: 73mm, "T" Table Grooves: 16mm	ASK
Photos	drill-Stago-HS-50	Stago	HS 50	2016		Drill Machine	16417	Drilling machine	ASK
Photos	drill-Stago	Stago				Drill Machine		Drilling machine	ASK
Photos	drill-WP22	WP 22	Paper Drill			Drill Machine		2 Head Paper Drill Machine	ASK
Photos	dril-2-Heads-Drill-Machine	2 Heads Paper Drilling Machine				Drill Machine		2 Heads Paper Drilling Machine	ASK
Photos	eylett-Constantin-Hang	Constantin Hang				Eyletting/Rivetting Machine		Eyletting/Rivetting Machine	ASK
Photos	eylett-Eyeletting-Machine-NN	Eyeletting Machine				Eyeletting Machine		Eyeletting Machine	ASK
Photos	eylett-Facom-INOX	Facom	INOX			Eyletting/Rivetting Machine		Eyletting/Rivetting Machine	ASK
Photos	eylett-hang-167-12	Hang	167-12			Eyletting/Rivetting Machine	38131	Eyletting/Rivetting Machine	ASK
Photos	eylett-hang-3-fach	Hang	87 F			Eyletting/Rivetting Machine	37954	3 Head Eyletting/Rivetting Machine	ASK
Photos	eylett-Hang-103-LOK	Hang	103 LOK			Eyletting/Rivetting Machine	31133	Eyletting/Rivetting Machine	ASK
Photos	eylett-Hang-103-LO-Yi	Hang	103LO			Eyletting/Rivetting Machine	11647	Eyletting/Rivetting Machine	ASK
Photos	eylett-Hang-103-SPK-15464	Hang	103 SPK			Eyletting/Rivetting Machine	15464	Eyletting/Rivetting Machine	ASK
Photos	eylett-Hang-Piccolo-DE-13	Hang	Piccolo			Eyletting/Rivetting Machine		Eyletting/Rivetting Machine	ASK
Photos	eylett-Hang-Piccolo-III-2	Hang	Piccolo III			Eyletting/Rivetting Machine		Eyletting/Rivetting Machine	ASK
Photos	eylett-Hang-Piccolo-III	Hang	Piccolo III			Eyletting/Rivetting Machine		Eyletting/Rivetting Machine	ASK
Photos	eylett-Siac	Siac				Eyletting/Rivetting Machine		Eyletting/Rivetting Machine	ASK
Photos	eylett-Textima-Schuma-13811-73333	Textima	Schuma 13811	1967		Eyletting/Rivetting Machine	73333	Eyletting/Rivetting Machine	ASK
Photos	eylett-WSK-Fritz-Wagner-ED10	WSK Fritz Wagner	ED10	1990		Eyletting/Rivetting Machine	138	Eyletting/Rivetting Machine	ASK
Perforation Machines:									
Photos	perf-Bickel-222	Bickel	HK 3/68	1970	68	Perforation	9247	Perforation Machine	ASK
Photos	perf-CCCP-Y06	CCCP	Y06	1976		Perforation	227	Perforation Machine	ASK
Photos	perf-Crease-Matic-Electril-Creaser	Crease Matic	Electril Creaser			Perforation	304111	Perforation Machine	ASK
Photos	perf-Grafotechna	Grafotechna			700	Perforation		Perforation and Creasing, Workig Space Height: 2,5mm,	ASK
Photos	perf-Perforation-UB-Bonn	Heinz Pohle				Perforation		Perforation Machine	ASK
Photos	perf-Perforation-Tall	Kroll	Creasing and Perforation Machine			Perforation	R740202	Creasing and Perforation Machine	ASK
Photos	perf-Kroll-PF	Kroll				Perforation		Creasing and Perforation Machine	ASK

Photos	perf-Kroll-&-Co-59316	Kroll & Co.				Perforation	59316	Perforation Machine	ASK
Photos	perf-Kroll-&-Co.-2	Kroll & Co.				Perforation	65802	Perforation Machine	ASK
Photos	seal-MAG-Mod-KL-SOT-2510	MAG	K50T	1992		Calender Production		Calender Production	ASK
Photos	perf-Polygraph-Titan	Polygraph	Titan CTK VII	1951		Rilling / Perforation Machine	91887	Rilling / Perforation Machine	ASK
Photos	perf-PD-70/75-223	PD	70/75			Perforation		Perforation Machine	ASK
Photos	perf-Shaw-Merlin-4040	Shaw	Merlin	1973		Perforation	4040	Rotary Creasing and Perforation Machine	ASK
Screen Printing									
Photos	screen-print-Akticop-3000	Akticop 3000	AC 00193			Screen Printing Exposure Unit	221702	Screen Printing, PCB, Printing Plates, Daylight Films, Instant-Start Metal-Halide Exposure Unit for Precise UV Processing, Power: 220 V / 10 A / 50 Hz (≈ 3 kW), Lamp: Metal-Halide, Universal UV Spectrum (300–450 nm), Startup: Full UV Output in ≈ 5 s (Electronic Hot Ignition), Features: UV-B Absorbing Safety Glass, Flat Reflector Housing, Easy Lamp Change	ASK
Photos	screen-print-Silair-BDM-812-2008	Silair	BDM 812	2008	70x100	Screen Printing Machine	1813	Complete Screen Printing Set, UV/Hot Air Drying Tunnel	ASK
Shrink Wrap/Sealing Machines:									
Photos	seal-Ariane-Robo-Pack	Ariane	Robo PAC 4535	1997		Shrink Wrap/Foil Sealing	KN/025987	Shrink Wrap/Foil Sealing	ASK
Photos	seal-beck-S12-24	Beck	S12-24	1985		Shrink Wrap/Foil Sealing	3893042	with B200/25 and Number: 6852884, Shrink Wrap / Foil Sealing	ASK
Photos	seal-Beck-TL50-40E	Beck	TL50 40E	1992		Shrink Wrap/Foil Sealing	o808	Shrink Wrap/Foil Sealing	ASK
Photos	seal-belca-2001	Belca	BE 85	2001		Shrink Wrap/Foil Sealing	L216N	Shrink Wrap, Front shuttle feeder, Rotary side feeder, Friction feeder, Shrink tunnel, Maximum Speed: 85 cycles per minute, Length: 85 to 395 mm, Width: 85 to 300 mm, Height: 2 to 70 mm	ASK
Photos	seal-belca-1999	Belca	L195D	1999		Shrink Wrap/Foil Sealing		Serie L195-D L289F, Shrink Wrap/Foil Sealing	ASK
Photos	foil-seal-Dempack-522-2006	Dempack	522	2006		Shrink Wrap/Foil Sealing		Serial No. 16547/M06 03 132, Shrink Wrap/Foil Sealing	ASK
Photos	foil-seal-Albipack	Italdibipack	Albipack ECO 650	2010		Shrink Wrap/Foil Sealing	503	Shrink Wrap/Foil Sealing	ASK
Photos	seal-Italdibipack-Baby-Pack	Italdibipack	Baby Pack			Shrink Wrap/Foil Sealing	2109-9	Shrink Wrap/Foil Sealing	ASK
Photos	seal-Kolbus-XBV-65	Kolbus	XBV 65	2007		Shrink Wrap/Foil Sealing		65 Cycles/Min.	ASK
Photos	seal-Kalfass-MC-35-40	Kalfass	MC 35/40	1981		Shrink Wrap/Foil Sealing	T03.81.635	Shrink Wrap/Foil Sealing	ASK
Photos	seal-kalfass5050-400	Kalfass	5050/400	1980		Shrink Wrap/Foil Sealing	T05.80.61	Shrink Wrap/Foil Sealing With Dryer	ASK
Photos	seal-Kalfass-KW3535	Kalfass	KW3535	1986		Shrink Wrap/Foil Sealing	E986695	Shrink Wrap/Foil Sealing	ASK
Photos	Foil-seal-MAFWS2	MAF	WS2	1989		Foil Sealing	24151089		ASK
Photos	seal-Minipack-Mailbag-Digit	Minipack	Mailbag Digit	2000		Shrink Wrap/Foil Sealing	001071/D	Shrink Wrap/Foil Sealing	ASK

Photos	seal-Smipack-S560-Red	Smipack	S560 Red			Shrink Wrap/Foil Sealing		Power Supply: 220-240V / 50-60Hz, Max. Output Per Hour: 900 Pieces, Power Consumption: 3,750W, Min. Product Weight: 0,05KG, Max. Product Weight: 15 KG, Max. Film Width: 600mm, Max. Film Roll Diameter: 300mm, Film Roll Core Diameter: 77mm, Film Thickness: 10-50µm, Easy Adjustment Of The Shrinkage Time On The Display	ASK
Photos	seal-Smipack-S560-White	Smipack	S560 White	2016		Shrink Wrap/Foil Sealing	47593	Power Supply: 220-240V / 50-60Hz, Max. Output Per Hour: 900 Pieces, Power Consumption: 3,750W, Min. Product Weight: 0,05KG, Max. Product Weight: 15 KG, Max. Film Width: 600mm, Max. Film Roll Diameter: 300mm, Film Roll Core Diameter: 77mm, Film Thickness: 10-50µm, Easy Adjustment Of The Shrinkage Time On The Display	ASK
Photos	seal-Soldi-Baby-Pack	Soldi	Baby-Pack			Shrink Wrap/Foil Sealing	116	Shrink Wrap/Foil Sealing	ASK
Photos	seal-Zappe-851124	Zappe	KS44	ca. 1985		Shrink Wrap/Foil Sealing	851124	Shrink Wrap/Foil Sealing	ASK
<u>Stapling/Stiching Machines:</u>									
Photos	stap-km17-1990	KM17		1990		Stapler	543	4 Head Stapling Machine	ASK
Photos	stap-gw-km17	GW	KM17	1994		Stapler	572	2 Head Stapling Machine	ASK
Photos	stap-Guternic-AB-Plockmatic 36	Guternic AB	Plockmatic 36	ca. 1985		Stapler	366031051	Stapling Machine	ASK
Photos	stap-Hans-Opitz-&-Co	Hans Opitz & Co. Hannover				Stapler		Stapling Machine	ASK
Photos	stap-Isaberg-Rapid-AB	Isaberg	Rapid AB A106			Stapler	43028	Stapling Machine	ASK
Photos	stap-Koboldt-DE-13	Koboldt				Stapler		Stapling Machine	ASK
Photos	stap-Koboldt	Koboldt		ca. 1972		Stapler		Stapling Machine	ASK
Photos	stap-Nagel-Foldnak2	Nagel	Foldnak 2	ca. 1987		Stapler		2 Head Stapling Machine	ASK
Photos	stap-Nagel-Foldnak	Nagel	Foldnak			Stapler		Stapling Machine	ASK
Photos	stap-Nagel-Foldnak-3	Nagel	Foldnak			Stapler		Stapling Machine	ASK
Photos	stap-Nagel-Foldnak-slow	Nagel	Foldnak			Stapler		2 Head Stapling Machine	ASK
Photos	stap-Nagel-Multinak-S-2005	Nagel	Multinak-S	2005		Stapler		2 Head Stapling Machine	ASK
Photos	stap-Nagel-Multinak-S-kro-de	Nagel	Multinak-S			Stapler		Stapling Machine	ASK
Photos	stap-Nagel-deg	Nagel	Multinak-S			Stapler		Stapling Machine	ASK
Photos	stap-Nagel-Multinak-S-DE-24	Nagel	Multinak S			Stapler		2 Head Stapler	ASK
Photos	stap-nagel-rinak-ES	Nagel	Rinak			Stapler	6701689	Electric Stapling Machine mounted on the original stand with foot pedal, Can be switched between flat stapling and saddle stapling (by tilting the table), one Stapling Head. For making brochures, catalogues, or stapled pads. Staples (26/6, 26/8S, or Ri26/6).	ASK
Photos	stap-nagel-rinak	Nagel	Rinak	ca. 1974		Stapler		Stapling Machine	ASK
Photos	stap-Nagel-2-Head	Nagel	Stapler			Stapler		2-Head Stapler	ASK
Photos	stap-Nagel-6236-1	Nagel	Stapler			Stapler	6236-1	Stapling Machine	ASK
Photos	stap-Nagel-föhl	Nagel	Stapler			Stapler		Stapling Machine	ASK
Photos	stap-Plokmatik-BK-5010-F102-002	Plokmatik	BK 5010 F102-002		297x427	Stapler	960854	Stapling Machine	ASK
Photos	stap-stapler-bru-mett	Stapler				Stapler		Stapling Machine	ASK
Photos	stap-stapler-6276	Stapler		ca. 1976		Stapler	6276	2 Head Manual Stapling Machine	ASK

Photos	stap-stapler	Stapler		ca. 1971		Stapler		2 Head Stapling Machine, driven by an electric motor (mounted at the base), Operated via a foot pedal, which activates the stapling heads, used for heavy-duty stapling of thick stacks of paper, cardboard, or similar materials	ASK
Photos	stap-Stapling-Machine-NN3	Stapling Machine				Stapler		Stapler for stapling stacks of paper, brochures or cardboard by pressing the foot pedal.	ASK
Photos	stich-Bostich	Bostich				Sticher	65055	Stiching Machine	ASK
Photos	stich-Grapha-B1	Grapha	B1			Sticher	61901	Size Register Table: 500x210mm, Back Gauge Distance: 310mm, Thickness: Up to 10mm, 380V, 3 Ph, 50Hz, 1.15A	ASK
Photos	stich-Kaev-P710-9125-1989	Kaev	P710/9125	1989	Arm Lenght: 125cm	Sticher	307	Board Sticher	ASK
Photos	stic-Mueller-HF33	Müller Langenfeld	HF33	1988		Sticher	667	Board Sticher	ASK
Transferbelt									
Photos	belt-Conveyor Belt	Conveyor Belt				Conveyor Belt		Transferbelt	ASK
Photos	belt-Krups-KF-50-9864-2	Krups	KF 50 1000/550			Transferbelt	9864/2	Transferbelt	ASK
Photos	more-Kolbus-TG	Kolbus	TG	1989		Conveyor Belt	1032	Transferbelt	ASK
Photos	more-Kolbus-FS-Z-011	Kolbus	FS.Z 011	1987		Conveyor Belt	59	Transferbelt	ASK
Photos	more-Kolbus-TN	Kolbus	TN	1980		Conveyor Belt	944	Transferbelt	ASK
Photos	more-MK-Typ-GUF-P	MK	GUF-P 2000 AC 2000-200	2008		Conveyor Belt	2,0082E+14	Motorized Belt	ASK
Photos	more-Motorized-Belt	Motorized Belt				Conveyor Belt		Motorized Belt	ASK
Photos	trans-belt-Multi-Mount-IP66	Multi-Mount	IP66	2010		Transferbelt		Typ, 4, 12,13, Standard Enclosure	ASK
Photos	more-Müller-Martini	Müller Martini	36.200.162			Transferbelt	99.25077.01	Transferbelt	ASK
Photos	more-Solema-1992	Solema		1992		Conveyor Belt	4031	Transferbelt	ASK
Photos	more-Solema-3	Solema				Conveyor Belt		Transferbelt	ASK
Photos	belt-Trapo-Stumpf-Km	Trapo Stumpf		1992		Transferbelt	65809	Transferbelt	ASK
Photos	more-Tec-Graf-S84-210	Tec-Graf	S84	1988		Transferbelt	210	Transferbelt	ASK
Photos	more-transferbelt-hun	Transferbelt				Conveyor Belt		Transferbelt	ASK
Photos	more-transferbelt-hun2	Transferbelt				Conveyor Belt		Transferbelt	ASK
Photos	trans-belt-Transferbelt-45°	Transferbelt	45°			Transferbelt		Transferbelt	ASK
Photos	belt-Transferbelt-Es	Transferbelt				Transferbelt		Transferbelt	ASK
Photos	belt-Transferbelt-Es-2	Transferbelt				Transferbelt		Transferbelt	ASK
Photos	belt-Transferbelt-NN1	Transferbelt				Transferbelt		Transferbelt	ASK
Photos	belt-Transferbelt-3,70-Length	Transferbelt				Transferbelt		3,70 Length	ASK
Photos	more-Trapo-Stumpf	Trapo	Stumpf	1994		Conveyor Belt	501407	Transferbelt	ASK
More:									
Photos	MORE-Autobag-Pacesetter	Automated Packaging Systems (APS)	PaceSetter Autobag			Automatic Bagging Machine (Filling and Sealing Plastic Bags)		Control Panel With Display and Keypad for Setting Packaging Parameters, Automatic Bag Feed System Uses Autobag "Bags-on-a-Roll", Heat-Sealing Station Seals the Bags after Filling, Optional Printer/Scanner Integration for Printing or Applying Labels, "PaceSetter" Series – Designed for Mid- to Highspeed Bagging Operations.	ASK
Photos	more-Aarque 575-EPV-38500	Aarque 575.EPV	38500				O724	Dry Duplicator System, Blueprint, Plot, Whiteprint	ASK
Photos	more-Bergin-RP-157	Bergin	RP157			Cutter	46258	Cutter	ASK
Photos	more-Bellheimer-Kardex-D30-26764	Bellheimer	Kardex Industrier LT-110E-1412-3			Paternoster	D30/26764	220 V, 7 A, 50/60 Hz, 0,1 kW, Load Per Carrier Evenly Distributed: 100 KG, Total Load: 1400 KG, Imbalance Load: max. 240 KG, Warehouse Lift / Shuttle / Circulation Rack / Paternoster / Umlaufregal	ASK

Photos	more-Bellheimer-Kardex-D38-26765	Bellheimer	Kardex Industrier LT-110E-1412-3			Paternoster	D38/26765	220 V, 7 A, 50 Hz, 0,8 kW, Load Per Carrier Evenly Distributed: 100 KG, Total Load: 1400 KG, Imbalance Load: max. 240 KG, Warehouse Lift / Shuttle / Circulation Rack / Paternoster / Umlaufregal	ASK
Photos	more-Bellmer-ZS15-Yi	Bellmer	ZS15-P	1977		Coner Saw Machine	VI298	Coner Saw Machine	ASK
Photos	more-buhrs	Buhrs	Variadress 218	1997		Adressing machine	4453-027	Adressing machine	ASK
Photos	more-BST-Pro-Control-O1781	BST	Pro Control BC-MK 1.0	2016		Track Monitoring System	O1781	Track Observation Device, BST Pro Control BC-MK 1.0 with Rittal Top Therm SK 3382500 Pro Control, M-No. 2016D0208468	ASK
Photos	more-CGL-150-Gas	Dalex Werke	CGL 150			Gas Welding Machine	192789	Gas Welding Machine	ASK
Photos	diff-Duplo-DC-645	Duplo	DC-645	2011	37x65	Slits, Cuts, and Creases Sheets		Sheet size: 210 × 210 mm – 370 × 650 mm, Paper weight: 110 – 350 g/m², Speed: up to 26 sheets/min, Functions: up to 6 slits, 15 cuts, 10 creases per sheet, Features: barcode job change, image shift compensation, 80 job memories	ASK
Photos	more-Gandossi-Fossati	Gandossi	Fossati TC.WM			Rilling Machine	26	Rilling Machine	ASK
Photos	more-Krumm-LRF20	Krumm	LRF20	2009		Air Filter System / Abluftfilteranlage	O0054-09	Air Filter System / Abluftfilteranlage	ASK
Photos	more-small-compressed	Small compressed				Air Punch		air punch with punches and dies (Kleine Druckluft-Lochstanze mit Stempel und Matrizen)	ASK
Photos	more-Binder-Block-Press-obsteiKar	Binder, Block Press				Binder, Block Press		Binder, Block Press	ASK
Photos	more-MAC-Computer	MAC	Computer			Computer		Computer	ASK
Photos	more-Sharp-Digital-Copy-machine	Sharp	MX 3050N			Digital Copy machine	75064641	Digital Copy machine	ASK
Photos	more-Druckschrank-k-h-irg	Druckschrank				Druckschrank		Druckschrank / Print Wardrobe	ASK
Photos	more-sauger-KF-1300	Sauger	Type KF 1300	2004		Dust-Exhaust		Dust-Exhauster for Perfect Binder	ASK
Photos	more-Edge-protection-machine	Edge	Protection machine			Edge protection machine / Kantenschutzmaschine		Edge protection machine / Kantenschutzmaschine	ASK
Photos	more-Kolbus-FS.Z	Kolbus	FS.Z	2000		Electric Panel	227	Electric Panel	ASK
Photos	more-Film-Sealing-Machine	EKO Folien GmbH				Folienschweißmaschine / Film Sealing Machine	PL00421	Folienschweißmaschine/ Film Sealing Machine	ASK
Photos	more-Foilcutter-AK	Foil Cutter			90	Foil Cutter	3358	Foil Cutting Unit	ASK
Photos	more-Hefter-Systemform-si-4400	Hefter Systemform	SI 4400 B	2016		Folding and Inserting Machine	440396	Folding and Inserting Machine: speed: upto 4.000 per hour, maximum monthly performance: 70.000, maximum annual output: 600.000, power required: 230 V, noise level: <74 dBA, number of feeder chutes: 2, maximum feeding capacity per feeder: 2, single sheet stations, 2 insert stations, folds: wrapfold, z-fold, single fold, double parallel fold, Programmable Jobs: upto 20 jobs.	ASK
Photos	more-Hinowa-HS-1100-Silenced-Yi	Hinowa	HS 1100 Silenced					Equipped With Snow Shovel, High & Standard Hydrualic Tip, New Electric Start Petrol Engine Fitted, Good Rubber Tracks, Ride On Platform	ASK
Photos	more-Planatol-2020-20	Planatol	2020				4963		ASK
Photos	more-Planatol-ES	Planatol					O82287		ASK
Photos	more-Planax-1030	Planax	1030			Spine Gluing Machine	3301	Voltage: 110/220 V, Power: 30 W, Frequency: 50 Hz	ASK

Photos	more-Pitney-Bowes-D1-600	Pitney Bowes	D1 600			Folding and Inserting Machine		Folding and Inserting Machine: speed: upto 4.000 per hour, maximum monthly performance: 70.000, maximum annual output: 600.000, power required: 230V, noise level: <74 dBA, number of feeder chutes: 2, maximum feeding capacity per feeder: 2 single sheet stations, 2 insert stations, folds: wrapfold, z-fold, single fold, double parallel fold, Programable Jobs: upto 20 jobs	ASK
Photos	more-METABO-730	METABO	730			Grinding Machine	206407	Grinding Machine	ASK
Photos	more-Manual-Pipe-Bending	Manual Pipe Bending				Screw Spindle with the Handle			ASK
Photos	more-Double Register-Punch	Manual Double Register Punch				Manual Double Register Punch		Punch Registration Holes Accurately and Repeatably	ASK
Photos	more-Screw-Press	Manual Screw Press				Manual Screw Press		Central Vertical Screw Spindle	ASK
Photos	more-Helmut-Diebold-HSD01	Helmut Diebold	HSD01			Grinding Machine / Schleifmaschine	o493286	Grinding Machine / Schleifmaschine	ASK
Photos	more-honda-Yi	Honda						Petrol Engine Sweeper	ASK
Photos	more-hole-punch-tool	Hole	punch tool			Hole punch tool/Loch-Werkzeug		Hole punch tool/Loch-Werkzeug	ASK
Photos	more-Gansow-125-B	Gansow	125 B			Ride-on Floor Sweeper	00293 1100	Sweeping industrial floors: Removing dust, dirt, metal shavings, packaging waste, etc., Cleaning large halls efficiently, Ride-on sweeper with:Driver's seat, Steering wheel, Main cylindrical brush underneath, Side brush on the right side, Control panel with buttons, Key switch for turning the machine on, Lever on the side (likely for hopper lifting or brush control)	ASK
Photos	more-Gusag-Major-124	GUSAG MAJOR	124			Hotmelt Glue Applicator/Glue Melting & Spreading Unit	2221345	Heated glue tank with internal roller, Adjustable side guides, Front STOP switch, Industrial metal housing (not plastic)	ASK
Photos	more-IP-Gansow-Titan	IP Gansow	Titan 142 BF 82			Ride-on Scrubber-Dryer (floor cleaning machine)	T1422 05371 1004	Scrubs and Washes the Floor with Water, then Vacuums the dirty Water into a Recovery Tank. It is used for Cleaning Large Industrial Floors that need wet Cleaning, not just sweeping	ASK
Photos	more-Kern-K610-Ident No. 811	Kern	K610 Ident No. 811	1978		Inserting Machine	K610.6406	Kuvertiermaschine / Inserting machine	ASK
Photos	insert-Sitma-1005-BW	Sitma	1005-BW	2011		Inserting Machine		Inserting and Foiling Machine, 2 Feeders, IJC Injekt-Controller and Video Jet Printer, Packaging Possibilities: >Lenght Min./Max. in mm: 150/420, Width: Min./Max. in mm: 100/305, Height Min./Max. in mm: 1-20 (upto 35mm When Working At Long Distances) Capacity: 15000 Products/Hour Typ: PE-PVC-PPO, Thickness Min./Max. in µ: 18/50, Width: Min./Max. in mm: 200/700, Max. Roll Diameter in mm: 450, Min. Roll Diameter in mm: 76,2<	ASK
Photos	more-Sigma-CD-D100	Sigma	CD-D100	2002		Electric Document Shredder	CA2139024	Electric Document Shredder	ASK
Photos	more-Schärf-Fix	Schärf-Fix				Manual leather skiving (or thinning) tool		This device is used to thin the edges of leather pieces, a process known as skiving. Skiving helps create smooth, flexible joints or seams when gluing or stitching leather, commonly used in: Leather Bags, Belts, Shoes, Saddles, Upholstery, Bookbinding	ASK
Photos	mores-Einhell-KBS-500	Einhell	KBS 500	1984		Kombi-Kreissäge	O02204	Kombi-Kreissäge / Combi-Circular Saw, 2800 U/Min., 3KW/4PS, 380V/50Hz, Saw Blade: 315/500mm	ASK

Photos	more-Lexmark-T640	Lexmark	T640			Laser Printer		Laser Printer	ASK
Photos	more-FAG-Line-Saw-for-Lead-Type	FAG	J-75			Line Saw for Lead Type/Zeilensäge für Bleisatz Linotype	34.08.408	Line Saw for Lead Type/Zeilensäge für Bleisatz Linotype, Klischee Cutter, Volt: 380	ASK
Photos	mores-Technotrans-EWP	Technotrans	EWP 1800/225-T			Motor	111749	Motor	ASK
Photos	mores-Technotrans-EWP-121137	Technotrans	EWP 1800/225-T			Motor	121137	Motor	ASK
Photos	Mores-Mores-Tresor	Mauer Tresor	VdS/Kl. 1		72x60x81cm	Tresor	82101-VdS-Kl.1	Inner Dimensions: 40x30x74cm, Outer Dimensions: 72x60x81cm, EURO/VdS/Kl. 1, Weight: 310 KG.	ASK
Photos	more-Jogger-Ge-201	Jogger				Jogger		Paper Jogger	ASK
Photos	more-Finest-FOG-Osmose	Finest	FOG	2009		Osmoseanlage	8070587	Osmoseanlage / Somosis System	ASK
Photos	more-Paper-wrapping-machine	Paper Wrapping Machine				Paper Wrapping Machine		Paper Wrapping Machine	ASK
Photos	more-Okki-C-9550	Okki	C 9550			Photo Copy Machine		Colour Photo Copy Machine / Farbkopierer	ASK
Photos	more-Rema-DMK-350	Rema	DMK 350	2003		Jack	102721	Jack, Capacity: 1500 KG	ASK
Photos	more-Robert-18c72oZ	Robert	18c72oZ	1979		Regid Plastic creasing with Heating		Regid Plastic creasing with Heating (Folien-Biegemaschine)	ASK
Photos	more-Geha-1996-top	Geha	Top Vision 5000	1996		Overheadprojektor	884123	Overheadprojektor	ASK
Photos	rill-Nagel-Rillnak-350	Nagel	Rillnak 350			Rilling Machine	470358CFAB	Rilling Machine	ASK
Photos	more-avdel-rivet-gun	Avdel				Rivet Gun		(Nietpistolen/Rivet Gun)	ASK
Photos	more-gesipa-rivet-gun-2	Gesipa				Rivet Gun		(Nietpistolen/Rivet Gun)	ASK
Photos	more-gesipa-rivet-gun-1	Gesipa				Rivet Gun		(Nietpistolen/Rivet Gun)	ASK
Photos	more-rivet-gun	Rivet				Rivet Gun		(Nietpistolen/Rivet Gun)	ASK
Photos	more-pamü	PAMÜ	Scoring Machine			Scoring Machine		Scoring Machine	ASK
Photos	more-Punching-Perforating	Punching/Perforating Tools				Punching/Perforating		Punching/Perforating Tools	ASK
Photos	more-Scoring-Machine	Scoring Machine				Scoring Machine		Scoring Machine	ASK
Photos	more-yard-king	Yard King	40,0707			Snow Slider	92081532	Typ: 1221 02, Tire pressure: 4x1,5 Bar, Oil: 10W 40	ASK
Photos	more-stückmann-hillen	Stückmann & Hillen	AK200-1250	1954		Steal Banding Machine	454.103	Steal Banding Machine	ASK
Photos	more-table-1	Table	with Foilrolls Holder			Table		(Tisch mit der Möglichkeit für Folienrollen anzuhängen/Table with the possibility of hanging film rolls)	ASK
Photos	more-Table-Hole-Punch	Table Hole Punch				Table Hole Punch		Table Hole Punch	ASK
Photos	more-linotype	Mergenthaler	Linotype	unknown		Typesetting machine / Setzmaschine		Linotype, Typesetting machine / Setzmaschine	ASK
Photos	more-linotype-280-18120	Linotype	280			Typesetting machine / Setzmaschine	18120	Linotype, Typesetting machine / Setzmaschine	ASK
Photos	more-Leipzig-8-708	Leipzig				Manual Corner-Cutting/Notching Press	8.708	Manual Corner-Cutting/Notching Press	ASK
Photos	more-Dalex-PL40-1	Dalex	PL40-1			Welding Machine /Schweißmaschine	18913670/1	Welding Machine /Schweißmaschine	ASK
Photos	more-Bacher-180-1989	Bacher	180	1989					ASK
Photos	more-Diverse-1	Diverse-1							ASK
Photos	mores-Kärcher-KSM-950-B	Kärcher	KSM 950 B						ASK
Photos	mores-Kärcher-BR-55-60W	Kärcher	BR 55/60W						ASK
Photos	mores-Nash-Elmo-1400	Nash Elmo	G 200 2BH1400-7AH26				EU600155221034/06	Motor 50 Hz, 1,3 kW, 2800/min	ASK

Photos	mores-Nash-Elmo-1300	Nash Elmo	G 200 2BH1300-7AH16				EU600156240052/ 06	Motor 50 Hz, 0,40 kW, 2760/min	ASK
Photos	more-Polygraph-62-1-4	Polygraph	62 1/4				63021		ASK
Photos	more-Prym-SP-3-71	Prym	SP 3/71						ASK
Photos	more-RR-Industrietechnik- RAK	RR Industrietechnik	RAK	2021			44380	Capacity: 300 KG, Article Number: 100400101	ASK
Photos	more-Rhewa- 83Z	Rhewa	83Z				120394		ASK
Photos	more-Solema-2007	Solema		2007		Electric Panel	7.017	Electric Panel	ASK
Photos	more-SCW-Spill- Containment-Workstation	SCW	Spill Containment Workstation	2004		Foam In Bag Packaging	SP3-8865	Foam In Bag Packaging	ASK
Photos	more-Ulico-Herotherm	Ulico	Herotherm				481		ASK
Photos	more-ulmia-5653	Ulmia	1605-7	1960			5653		ASK
Photos	more-Vem-A-Line	Vem-A-Line				Board Edge Cutter		Board Edge Cutter	ASK
AGM Anwar Graphische Maschinen GmbH									
Auf dem Ralande 3, D-21465 Wentorf bei Hamburg, Germany									
E-Mail: agm@agm-graphics.com									